Receiving Report

| | rete: | | H Release K Waybill At | Complete pection | ned: Yes Yes | 139 | · · · · · · · · · · · · · · · · · · · |
|--|-------------|---------------------|------------------------------|-------------------|--|-----------------|---------------------------------------|
| Part Number | Description | Quantity Ordered | Quantity Rec'd | Quantity Short | Quantity Inspected | Quantity. | Gomment / NCR, Number |
| * | | | | | T _e | | |
| garante de la companya de la company | | | والمنطوب والدا | | | | |
| | | | | r was d | digital section of the section of th | | |
| Production/Adr Date Received/Cost Initial | | | | initials of | Receiver | QC12 Localid | |

H:\FORMS\Purchasing\approved purch\RECREPORT Rev F



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26837

Purchase Order Date 12/17/2014 **PO Print Date** 12/17/2014

Page Number 1 of 4

Order From:

VU-EC001

EAST COAST AVIATION SUPPLIES,INC. 399 EAST DRIVE MELBOURNE, FLORIDA 32904 USA **Ship To:** DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

1-321-727-0047

FedEx Overnight collect

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ CD Taxable Promise Date | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|-------------|--|------------------------|---|--------------------------------|-----------------|-------------------|
| 1 | MS21209-F415 | Heli-Coil | 12/19/2014 Yes 12/19/2014 | 50.00 Each | \$0.25 | \$12.50 |
| | | | | | Line Total: | \$12.50 |
| 2 | MS21209F1-10 | HELI COIL | 12/19/2014 Yes 12/19/2014 | 50.00 Each | \$0.26 | \$13,00 |
| | | | | , | Line Total: | \$13.00 |
| 3 | AN4-16A | Bolt . | 12/19/2014 FN Yes 12/19/2014 | 200.00 Each | \$0.28 IV-19 | \$56.00 |

Note:

12/17/2014



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26837

Purchase Order Date 12/17/2014 PO Print Date 12/17/2014

Page Number 2 of 4

Order From:

VU-EC001

EAST COAST AVIATION SUPPLIES, INC. 399 EAST DRIVE

MELBOURNE, FLORIDA 32904

USA

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

1-321-727-0047

Buyer

Chantal Lavoie

Ship To Contact Ship To Phone

Ship Via:

Ship Acct:

FedEx Overnight collect

Customer POID Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

AN4-17A

Bolt

12/19/2014 FN

\$0.28

\$44.80

\$56.00

12/19/2014

Yes

Each

Line Total:

Line Total:

Line Total:

\$44.80

AN4-21A

Bolt

12/19/2014

Yes

12/19/2014

\$0.38

\$28,50

Bolt

12/19/2014 FN

\$28.50

AN5-14A

Yes

\$0.52

\$13.00

12/19/2014

80 14-18-19

\$13.00

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26837

Purchase Order Date 12/17/2014 PO Print Date 12/17/2014

Page Number 3 of 4

\$0.95

814-18-19

\$95.00

Order From:

VU-EC001

EAST COAST AVIATION SUPPLIES,INC. 399 EAST DRIVE MELBOURNE, FLORIDA 32904 USA Ship To: DART AEROSPACE LTD 1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name Buyer Chantal Lavoie Vendor Phone 1-321-727-0047 **Customer POID** Customer Tax # 10127-2607 **Ship To Contact** Terms Net 30 Ship To Phone Currency USD Ship Via: FedEx Overnight collect **FOB** FCA - (Free Carrier) Ship Acct: AN526-1032R9 Screw 12/19/2014 \$0.10 \$10.00 Yes Each 12/19/2014 Line Total: \$10.00 AN5-32A Bolt 12/19/2014 \$0.68 \$68.00 Yes Each 12/19/2014 Line Total: \$68.00 AN5CI1A Bolt 12/19/2014 FN 50.00 \$1.74 \$87,00 Yes Each 12/19/2014 Line Total: \$87.00

Note:

AN5C7A

12/19/2014

12/19/2014

Yes

100.00

Each

BOLT



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO26837

Purchase Order Date 12/17/2014 PO Print Date 12/17/2014

Page Number 4 of 4

Order From:

VU-EC001

EAST COAST AVIATION SUPPLIES, INC. 399 EAST DRIVE MELBOURNE, FLORIDA 32904 **USA**

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

1-321-727-0047

Buyer

Chantal Lavoie

FedEx Overnight collect

Customer POID Customer Tax #

10127-2607

Ship To Contact

Ship To Phone

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Ship Acct:

Ship Via:

71401-45

11

PROCUREMENT QUALITY CLAUSES 12/19/2014

No

12/19/2014

Procurement Quality Clauses A005 RIGHT OF ENTRY A012 CHEMICAL AND PHYSICAL TEST REPORTS A016 PERSONNEL QUALIFICATION A026 CERTIFICATION OF MATERIAL CONFORMANCE A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS A040 NOTIFICATION OF QUALITY ESCAPE A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER A043 RETENTION OF QUALITY DOCUMENT 814-12-10

Line Total:

Line Total:

\$0.00

\$0.00

\$95.00

\$0.00

PO Total:

\$427.80

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explaination.

Change Nbr:

1

Change Date:

12/17/2014

East Coast Aviation Supplies, Inc.

399 East Drive Melbourne, FL 32904 USA

· Ph: 321.727.0047, Fax: 321.727.7331

Packing Slip

Original

Invoice #: 509365

Date Printed: 12/17/2014

Time: 5:11:50 PM

of Items: 10 Page: 1

To:

DART AEROSPACE LTD. ACCTS. PAYABLE 1270 ABERDEEN STREET HAWKESBURY, ON K6A1K7 CANADA Ship To:

DART AEROSPACE LTD. ATTN: RECEIVING 1270 ABERDEEN STREET HAWKESBURY, ON K6A1K7 CANADA

ATTN: CHANTAL LAVOIE Ph: 613.632.3336 Fax: 613.632.5246

Invoice Date: 12/17/2014

Terms: NET 30

Weight: 29

Ship Via: FED.EX.P1

Order Date: 12/17/2014

Cust. PO#: PO26837

of Boxes: 1

Ship Date: 12/17/2014

FOB: MELBOURNE, FL

Shipment #:

Sales Order: 456900

Customer #: 16754

AWB: 6244 7801 8920

ECAS Contact: LUIS

| m | Part Number/Description | Shipped | BackOrd | CD | Unit Price | UoM | Total Amt |
|----|----------------------------|----------------|---------|----------|------------|-----|-----------|
| 1 | MS21209F4-15 INSERT | \$0.00 | 0.00 | NE | | | |
| 2 | MS21209F1-10 INSERT | J 50.00 | 0.00 | NE | | | |
| 3 | AN4-16A BOLT UNDRILLED | 200.00 | 0.00 | NE | | | |
| 4 | AN4-17A BOLT UNDRILLED | 160.00 | 0.00 | NE | | | |
| 5 | AN4-21A BOLT UNDRILLED | 5.00 | 0.00 | NE | | | |
| 6 | AN5-14A BOLT UNDRILLED | 7 5.00 | 0.00 | NE | | | |
| 7 | AN526-1032R9 SCREW | 100.00 | 0.00 | NE | | | |
| 8 | AN5-32A BOLT UNDRILLED | 100.00 | 0.00 | NE | | | |
| 9 | AN5C11A BOLT UNDRILLED S/S | 50.00 | 0.00 | NE | | | |
| 10 | AN5C7A BOLT UNDRILLED S/S | . 100.00 | 0.00 | NE | | | |
| | | | | | | 10- | 19 |
| | | | | (| 1014 | 110 | |
| | | | | | 0,4 | | |
| | | | | <u> </u> | | | <u> </u> |
| | : | | | | | | |

| l | | |
|---|-----------------------|--|
| ļ | Special Instructions: | |
| ١ | | |
| l | | |
| | | |
| | · | |
| | | |
| | | |
| | | |

East Coast Aviation Supplies, Inc. CERTIFICATE OF CONFORMITY

No: 509365

Bill To:

Ship To:

ORIGINAL

DART AEROSPACE LTD. ACCTS. PAYABLE 1270 ABERDEEN STREET HAWKESBURY, ON K6A1K7 DART AEROSPACE LTD. ATTN: RECEIVING 1270 ABERDEEN STREET HAWKESBURY, ON K6A1K7

| Customer PO | Ship Date | Airway Bill Number |
|-------------|------------|--------------------|
| PO26837 | 12/17/2014 | 6244 7801 8920 |
| | | |

| Part No. | Description | Cond | Qty | S/L |
|----------------------|---------------------|------|-----|-----|
| MS21209F4-15 | INSERT | NE | 50 | 13 |
| MFR: HELICAL | ECCN#: 9A991 | | | |
| LOT: W115971/3-22-12 | SCHB#: 9606.10.1000 | | | |
| MS21209F1-10 | INSERT | NE | 50 | 23 |
| MFR: KATO | ECCN#: 9A991 | | | |
| LOT: C18515 | SCHB#: 9606.10.0000 | | | |
| AN4-16A | BOLT UNDRILLED | , NE | 200 | 20 |
| MFR: AFC | ECCN#: 9A991 | | | |
| LOT: 23009 | SCHB#: 7318.15.2000 | | | |
| AN4-17A | BOLT UNDRILLED | NE | 160 | 16 |
| MFR: AFC | ECCN#: 9A991 | | , | |
| LOT: 22221 | SCHB#: 7318.15.2000 | | | |
| AN4-21A | BOLT UNDRILLED | NE | 75 | 18 |
| MFR: AFC | ECCN#: 9A991 | | | |
| LOT: 22712 | SCHB#: 7318.15.2000 | | | |
| AN5-14A | BOLT UNDRILLED | NE | 25 | 25 |
| MFR: MAC | ECCN#: 9A991 | | | |
| LOT: 38330 | SCHB#: 7318.15.2000 | | | |
| AN526-1032R9 | SCREW | NE | 100 | 21 |
| MFR: CRESCENT | ECCN#: 9A991 | | | |
| LOT: 70449 | SCHB#: 7318.15.4000 | | | |

CONDITIONS:

NE - New

NS - New Surplus

OH-Overhauled

RP-Repaired

SV-Serviceable

We hereby certify that the items that are a part of this Purchase Order have been visually & dimensionally found to conform to all applicable standards, drawings & specifications. The liability of ECAS is limited to replacement of any item which is rejected because of a defect in material or workmanship if notified within 30 days & liability shall not exceed the invoice value. Such replacement shall constitute satisfaction of all liability.

Signed:



Inspectors Stamp

Insp. #2

For and on behalf of EAST COAST AVIATION SUPPLIES, INC.

East Coast Aviation Supplies, Inc. **CERTIFICATE OF CONFORMITY**

No: 509365

Bill To:

Ship To:

ORIGINAL

DART AEROSPACE LTD. ACCTS. PAYABLE 1270 ABERDEEN STREET HAWKESBURY, ON K6A1K7 DART AEROSPACE LTD. **ATTN: RECEIVING** 1270 ABERDEEN STREET HAWKESBURY, ON K6A1K7

| Customer PO | Ship Date | Airway Bill Number |
|-------------|------------|--------------------|
| PO26837 | 12/17/2014 | 6244 7801 8920 |
| | | |

| Part No. | Description | Cond | Qty | S/L |
|------------|---------------------|------|-----|-----|
| AN5-32A | BOLT UNDRILLED | NE | 100 | 19 |
| MFR: AFC | ECCN#: 9A991 | | | |
| LOT: 15137 | SCHB#: 7318.15.2000 | - 1 | | |
| AN5C11A | BOLT UNDRILLED S/S | NE | 50 | 14 |
| MFR: _MAC | ECCN#: 9A991 | | | |
| LOT: 62261 | SCHB#: 7318.15.2091 | | | |
| AN5C7A | BOLT UNDRILLED S/S | NE | 100 | 18 |
| MFR: _MAC | ECCN#: 9A991 | | | |
| LOT: 55814 | SCHB#: 7318.15.2091 | 1 | | |
| | | İ | • | |
| | | | | |
| | | | | |
| • | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | İ | | |
| | | | | |
| | | | | |

CONDITIONS:

NE - New

NS - New Surplus

OH-Overhauled

RP-Repaired

SV-Serviceable

We hereby certify that the items that are a part of this Purchase Order have been visually & dimensionally found to conform to all applicable standards, drawings & specifications. The liability of ECAS is limited to replacement of any item which is rejected because of a defect in material or workmanship if notified within 30 days & liability shall not exceed the invoice value. Such replacement shall constitute satisfaction of all liability.

Signed:



For and on behalf of EAST COAST AVIATION SUPPLIES, INC.

Insp. #2

Inspectors Stamp

HELICAL WIRE, INC.

www.helicalwire.com
26 CASH DRIVE
CARSON CITY, NEVADA 89706



Packing List

| DATE | INVOICE# |
|-----------|----------|
| 10/5/2012 | P152338 |

BILL TO

MS INSERTS & FASTENERS CORP. 24310 GARNIER ST.

TORRANCE, CA. 90505

DFARS COMPLIANT SHIP TO

MS INSERTS & FASTENERS CORP. 24310 GARNIER ST. TORRANCE, CA. 90505

| P.O. NUMBER | TERMS | SHIP DA | TE SI | IIP VIA | . UPS | FEDEX | FOB | E-MAIL | INV |
|--------------|---|---------------|-------|--|--|--|---|---|---|
| 4006458 | Net 30 | 10/5/201 | 2 UP | S Gro | 938795 | 0904-1788-6 | OP | ap@msinsert | email |
| ITEM | ORDERED | SHIPPED | B/O | 1 | DESCRIPTION | | | | |
| MS21209F4-15 | SOOOO SOOOO SOOOO OCT 0 8 20 MPUTER | 25,000 /ED | | P/N 14 C/R 35 UPS C OPI We her above a United specific NASM REV. 1 AS309: MA156 MA333 S21800 GSFC S material inserts, complia of 27 Ja Union (AMS-Q Product Specialt DFAR 2 manufac ineligab Governm | CONFORMAL CONFORMAT CONFORMAL CONFORMAT CONFOR | r 50F 03 6668 98. NCE CERTIFICA THE QUALITY aterial and parts sl. ist Number listed conformance with NASM33537 Rev M122275 REV. 1 112AE AS3080 97, N913P, N9266 B, MA3280 Rev. B, MA3280 Rev. B, MA3280 Rev. C, AS724 313-100, T.O. 44 2.1.2. Material ce ach shipment of v upon request. All 1002/95/EC of the 1 naterial comply w on. Plating per X or QQ-S-365, A a small business e manufacture of T.1) & Deviation | ATION - CAGE SYSTEM - IS nipped on your above, have be one or more of 1. NASM88. NEW, NASMI AS3081, AS3 P, N926AP, N B, MA3281 R 6, AMS7247, M H1-1-117. Ma artifications reflivire used to ma material is met inth the requiren ylan (R) 5251/8 STM B 700. To in the United S this product is 2008-00002 I V listed as a det arties publishe | Purchase Order lies an manufactured the following 46, NASM21209. 124651 thru NASM 1082, AS3083, AS 926BP, N926CP. ev B, MA3329 Rearmo Nitronic 60 terial certification ect the heat treat lanufacture the screen cury free and pass ament and of the Conents of the Europ 240 Black, AS-27: voling per A-A-59 tates of America. DFAR compliant 10 DFARS 225,7002. | in the REV. 2, 1124850 3094, ev. C, UNS to ot and w thread ROHS Council ean 2, 158. |

PAST DUE INVOICES WILL BE CHARGED FINANCE CHARGES AT THE RATE OF 1.5% PER MONTH ON THE UNPAID BALANCE. All claims for error, shortage, or damage must be made within 7 days after receipt. No returns on non-traceable or non-defective products.

ISO Certified 9001:2008 FM 93902



- PACKING LIST

MS INSERTS AND FASTENERS 24310 GARNIER STREET TORRANCE, CA 90505

Pick Ticket Number 2072684 Pick Date Page 4/1/2014 06:56:35 1 of 1 ORDER NUMBER 1108306

Bill To:

EAST COAST AVIATION 399 EAST DRIVE MELBOURNE, FL 32904 USA 321-727-0047

Ship To:

EAST COAST AVIATION 399 EAST DRIVE MELBOURNE, FL 32904 US

JACKIE FRANCISCO

Customer ID: 202958

| | PO Number | | | l | | | Terms | Descript | ion | |
|--|--------------------------|--------------------------------|-----------------|--|-----------------------------------|---|--------------------------|-----------|-------|------------|
| | 7/16/12 | <u> </u> | | | | | Ne | 30 Days | | |
| Order Date | Pick Ticket No | | Prima | ry Sales | rep Name | ? | | | Taker | |
| 4/1/2014 05:25:00 | 2072684 | | Helen Levasseur | | | | HELEN.LEVASSEUR | | | |
| | Quantities | | | Item II | - | | | | UOM | |
| Ordered | rdered Shipped Re | | Disp. | Item Description | | . | | Unit Size | | |
| 2.600 | PS-3 DAY SELECT CO | Delivery Instr- DLLECT 0 | | UPS AC | #: | | NGE EPTED | | EA | |
| 2,500 1SG Number: 48651 | 7 | Order Line | e Notes: Qi | 1/4-28 2 DFARS SHIP M SHIP TO | 375 LOC 252,225-70 FG. C OF | CKING IN 014ALT.1 C W/PAR /14 ORAN | SERT (BU COMPL. TS | ILK) | 22. | 1.0 |
| CONTROL NÚMBER | R: LOT W115971/3-22- | 12 - HELIC | | <i>y</i> . | 2,000 | | | | | |
| LL CLAIMS FOR ERROR, SHOR' ECEIPT OF GOODS. | TAGE OR DAMAGE MUST BE N | AADE WITHIN 7 DAY | S AFTER | THIS | IS TO CEI | | FICATE OF | | | IPMENT HAS |

MATERIALS MAY NOT BE RETURNED WITHOUT A "RETURN MATERIAL AUTHORIZATION" NUMBER.

SELLER DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS A HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACEMENT OF THIS MATERIAL.

BEEN PURCHASED, PACKAGED AND SHIPPED IN ACCORDANCE WITH ALL APPLICABLE SPECIFICATIONS / REQUIREMENTS OF THE

PURCHASE ORDER.

x Signature

Qualitiy Assurance Manager

Sales Order Number: 718553 Finished Lot Number: 81471-07-004

| KATO EASTENIA | 2 EVETENC ! | PACKING TIOKET O | AFRZE' | 0.477.07.00 | LADI LATIA- | |
|---|---|---|---|--|--|--------------|
| | | PACKING TICKET 8 | CERTIFI | CATE OF CO | MPLIANCE | ~ |
| CUSTOMER CODE C1140 | PAGE | 1 | • ti | , see D | ELIVERY TI | CKET |
| Aircraft Fasteners Internati | V.D | \$нр то | | steners Internation | al, LLC | |
| PO Box 66249 | 1 E | | 13402 Bea | | | |
| Los Angeles CA 90066-02 USA | BY: | | Marina Del USA | Rey CA 92092 | | 1. |
| CUSTOMER PO # / REFERENCE # | REQUESTED DATE | KATO SALES ORDER # | DELIVE | RY TICKET# | DELIVERY TICKET | DATE |
| 81471 | 08/30/12 | 72433 | (| 68015 | 07/25/12 | |
| LINE DESCRIPTION | | | TEM GROUP | SHIPPING METHO | DD QTY SHIPPED | ÚoM |
| TLF-3C-0190 | | CoilTh | read Inserts | | | |
| 1 MS21209F1-10, INSERT, TANGED, 10-32 | X 1 D, BULK | | | UPS Ground Colle | d 100,000 | Each |
| KATO Fastening Systems certifies that set forth by KATO Fastening Systems | at all CoilThread Inse | erts supplied on the above p | urchase orde | er have met all insp | ection requirements | L ; |
| Dry Film Lubricated inserts comply wit to AMS-QQ-P-416C (formerly QQ-P-416C). When the Compliance: KATO Fastening manufacturing of Tangless and Tange optional process in accordance to AM number, a "P" at the end of the MS/N. DFARS Compliance: KATO Tangless listed in section 225.872-1 as a Qualit No Mercury is used in the manufacture Country of Origin: KATO ColiThread I manufactured in Japan. Inserts manu USA, Hexatorq Hinges are made in Je | Systems does not used CoilThread inserts S-QQ-P-416B. Inserts AS number, and the s and Tanged CoilThried Country. Ing of KATO CoilThrinserts are manufactured prior to 195 | nserts comply to Aerospace se lead, mercury, cadmium is and tools. Cadmium plating at the second of | Specification hexavalent in g is offered in the indentified dimium plating red by KATO seption of the ingapore (tar | AMS2411. chromium, PBB or by KATO Fastening with a "Y" at the er p. Precision Ltd. in the er p | PBDE in the g Systems as an and of the Kato part he UK. The UK is inserts which are Kits are made in the | |
| manufactured in the USA with the exc CoiThread Insert chemical and physicage CODE: 0YC40, ECCN: EAR Chem/Phys Included: Yes | ception of the CT160 | 02-M series & 2CTSB-M se | ries which ar ints are on fil | e manufactured in | Japan. | e. |
| | | | (AFI) | <i>-</i> 0 - | Cindy \$ | Slomins |
| REMARKS: | | | | | | 10 |
| 81471 Based On Sales Orders 72433 | | | | | | 97 : |
| 11836 PHONE | FISHING POINT (757) 873-8980. I | DRIVE, SUITE 400, NEV FAX: (757) 873-4920, W | VPORT NET | NS, VA 23606 | | |

| KATO FASTENIN | G SYSTEMS - F | PACKING TICKET 8 | CERTIFI | CATE OF COM | IPLIANCE | |
|--|--|---|--|--|--|-------|
| CUSTOMER CODE C1140 | PAGE | 2 | | DE | LIVERY TI | |
| BILL TO Aircraft Fasteners Interna | tional, LLC | SHIP TO | Aircraft Fas | steners International | | |
| PO Box 66249 | | , · · |] 13402 Bea | ch Ave. | · | |
| Los Angeles CA 90066-0 USA | 249 | | Marina Del USA | Rey CA 92092 | | |
| CUSTOMER PO # / REFERENCE # | REQUESTED DATE | KATO SALES ORDER # | DELIVE | RY TICKET # | DELIVERY TICKET | T DAT |
| 81471 | 08/30/12 | 72433 | | 68015 | 07/25/12 | |
| LINE ITEM NO. DESCRIPTION | | ľ | TEM GROUP | SHIPPING METHOD | QTY SHIPPED | Uo |
| Chem & Phys 2 Chemical & Physical Reports | | Acco | unting Items | | | |
| TLF-3C-0190 | • | | I | UPS Ground Collect | 1 | Ea |
| KATO Fastening Systems certifies th set forth by KATO Fastening Systems In addition, CoiThread inserts and to Rev 1 & NASM124651-124850 Rev 1 MA3279 Rev B, MA3280 Rev B, MA3 AS7245 Rev A. | s and comply to all ch ofs are in conformanc I (formerly MS21208) 3281 Rev B, MA3329 | emical and physical specifics with the following Military | ications, y and Aerospa MS33537, NA A3331 Rev C | ace Standards; NAS ASM8846 Rev 1, A-A , MA1565 Rev A, MA | M122076-122275 A-59158 Rev 98, A1567 Rev B, and | |
| In addition, CollThread inserts and to Rev 1 & NASM124651-124850 Rev 1 MA3279 Rev B, MA3280 Rev B, MA3 | s and comply to all ch ofs are in conformanc I (formerly MS21208) 3281 Rev B, MA3329 onformance with NAS | emical and physical specifics with the following Military | ications, y and Aerospa MS33537, NA A3331 Rev C | ace Standards; NAS ASM8846 Rev 1, A-A , MA1565 Rev A, MA | M122076-122275 A-59158 Rev 98, A1567 Rev B, and | |
| In addition, CoilThread inserts and to Rev 1 & NASM124651-124850 Rev 1 MA3279 Rev B, MA3280 Rev B, MA3 AS7245 Rev A. Tangless CoilThread inserts are in co | s and comply to all ch ols are in conformance I (formerly MS21208), 3281 Rev B, MA3329 onformance with NAS tions. | emical and physical specifics with the following Military NASM21209 Rev 2, NAS Rev C, MA3330 Rev C, M 1130 Rev 4, NA0276 Rev 2 lard AS5272C Type I (form) | ications, y and Aerospa MS33537, NA A3331 Rev C, 2, and NASMi | ace Standards: NAS ASM8846 Rev 1, A-A , MA1565 Rev A, M/ 8846. KATO Tangle | M122076-122275 A-59158 Rev 98, A1567 Rev B, and ess CoilThread too | ols |
| In addition, CoilThread inserts and to Rev 1 & NASM124651-124850 Rev 1 MA3279 Rev B, MA3280 Rev B, MA3279 Rev A. Tangless CoilThread Inserts are in conform to all KATO design specifica Dry Film Lubricated inserts comply with to AMS-QQ-P-416C (formerly QQ-P-RoHS Compliance: KATO Fastening manufacturing of Tangless and Tangless and Tangless in accordance to AMS- | s and comply to all ch ofs are in conformance I (formerly MS21208), 3281 Rev B, MA3329 enformance with NAS tions. ith Aerospace Stansd 416). Silver Plated in: I Systems does not us ed CoilThread inserts 45-QQ-P-4168. Inserts | nemical and physical specifics with the following Military, NASM21209 Rev 2, NASI Rev C, MA3330 Rev | ications, y and Aerospa MS33537, NA A3331 Rev C, 2, and NASMi erly MIL-L-46i Specification , hexavalent c ng is offered b te Indentified | ace Standards: NAS ASM8846 Rev 1, A-A , MA1565 Rev A, M/ 8846. KATO Tangle 010). Cadmium Plat 1 AMS2411. chromium, PBB or Pl by KATO Fastening | M122076-122275 A-59158 Rev 98, A1567 Rev B, and ess CoilThread too ted inserts comply BDE in the | ols |
| In addition, CoilThread inserts and to Rev 1 & NASM124651-124850 Rev 1 MA3279 Rev B, MA3280 Rev B, MA3279 Rev A. Tangless CoilThread Inserts are in occonform to all KATO design specifica Dry Film Lubricated inserts comply with the AMS-QQ-P-416C (formerly QQ-P-RoHS Compliance: KATO Fastening manufacturing of Tangless and Tangles | s and comply to all chools are in conformance I (formerly MS21208), 3281 Rev B, MA3329 conformance with NAS tions. ith Aerospace Stansd 416). Silver Plated in: Systems does not used CoilThread inserts IS-QQ-P-4168. Insert IAS number, and the cost and Tanged CoilThread Sand Tanged CoilThread inserts | nemical and physical specifics with the following Military, NASM21209 Rev 2, NAS, Rev C, MA3330 Rev C, MA31130 Rev 4, NA0276 Rev 2 lard AS5272C Type I (formula serts comply to Aerospace se lead, mercury, cadmium, and tools. Cadmium plating and escription will indicate Cadmium with Cadmium plating and description will indicate Cadmium with Cadmium will indicate Cadmium plating and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and description will be and | ications, y and Aerospa MS33537, NA A3331 Rev C, 2, and NASMi erly MIL-L-460 Specification hexavalent cong is offered by the indentified of dmium plating | ace Standards: NAS ASM8846 Rev 1, A-A, MA1565 Rev A, M/ 8846. KATO Tangle 010). Cadmium Plat AMS2411. chromium, PBB or Pl by KATO Fastening: with a "Y" at the end | M122076-122275 A-59158 Rev 98, A1567 Rev B, and ess CoilThread too ted inserts comply BDE in the Systems as an I of the Kato part | ols |
| In addition, CoilThread inserts and to Rev 1 & NASM124651-124850 Rev 1 MA3279 Rev B, MA3280 Rev B, MA3279 Rev B, MA3280 Rev B, MA327245 Rev A. Tangless CoilThread Inserts are in exconform to all KATO design specifical Dry Film Lubricated inserts comply with to AMS-QQ-P-416C (formerly QQ-P-RoHS Compliance: KATO Fastening manufacturing of Tangless and Tangles optional process in accordance to AM number, a "P" at the end of the MS/N DFARS Compliance: KATO Tangles | s and comply to all chools are in conformance I (formerly MS21208), 3281 Rev B, MA3329 conformance with NAS titions. Ith Aerospace Stansd 416). Silver Plated in: I Systems does not used CoilThread inserts AS-QQ-P-416B. Insert IAS number, and the cost and Tanged CoilThrefied Country. Inserts are manufacturated prior to 1991 apan. All KATO tanged apan. All KATO tanged posts are tanged to tanged apan. All KATO tanged apan. All KATO tanged to tanged apan. All KATO tanged to tanged apan. All KATO tanged to tanged the country tanged the count | nemical and physical specifics with the following Military, NASM21209 Rev 2, NASI Rev C, MA3330 Rev | ications, y and Aerospa MS33537, NA A3331 Rev C, 2, and NASMi erly MIL-L-466 Specification hexavalent cong is offered by re Indentified of dimium plating red by KATO seption of the ingapore (tan in the USA. A | ace Standards: NAS ASM8846 Rev 1, A-A, MA1565 Rev A, M/ 8846. KATO Tangle 010). Cadmium Plat AMS2411. chromium, PBB or Ploy KATO Fastening: with a "Y" at the end b. Precision Ltd. in the new M2 Tangless in | M122076-122275 A-59158 Rev 98, A1567 Rev B, and ess CoilThread too ted inserts comply BDE in the Systems as an I of the Kato part a UK. The UK is | bis, |

REMARKS:

81471 Based On Sales Orders 72433.

11836 FISHING POINT DRIVE, SUITE 400, NEWPORT NEWS, VA 23606
PHONE: (757) 873-8980, FAX: (757) 873-4920, WEB: WWW.KATONET.COM

REV 080111

Sales Order Number: 718553

Finished Lot Number: 81471-07-004

KATO LOT NUMBER DELIVERY REPORT

Date 07/25/12

Batch Report for Delivery

Delivery 68015

Qty Shipped

100,000

UoM

Each

Customer PO'No. 81471

Bill To

Aircraft Fasteners International, LLC

PO Box 66249

Ship To Aircraft Fa

Aircraft Fasteners International, LLC

13402 Beach Ave.

Marina Del Rey CA 92092

USA

Los Angeles CA 90066-0249 USA

Line # Item No. Description


1 TLF-3C-0190 MS21209F1-10, INSERT, TANGED, 10-32 X 1 D, BULK

 Lot Number(s)
 Lot Qty

 C18331
 9,000

 C18515
 47,000

 C18516
 44,000



(8)

#1191

11836 FISHING POINT DRIVE, SUITE 400, NEWPORT NEWS, VA 23606 PHONE: (757) 873-8980, FAX: (757) 873-4920, WEB: WWW.KATONET.COM Sales Order Number: 718553

Finished Lot Number: 81471-07-004



COILTHREAD* CHEM/PHYS REPORT



Advanex Europe Ltd

Mill Park Way, Off Station Road, Southwell, Nottinghamshire, NG25 0ETRECE

Works Order. C18515

TLF-3C-0190 Part No.

Sample Size.

Qty Passed.

Inspection Date. Procurement Spec. 09-May-2012

Thread Size. 10-32 X 1D

Qty Rejected.

NASM8846

Lot Size. 48,000.00

Mil Part No. MS21209-F1-10

Heat No. E37020

Inspection - Coil No.

1018-59221-3

Certificate No. X1978

DW-0590-001

Batch No. 54592

| | Spec | cifled Range | Actua | | | |
|-----------------------|---------|--------------|--------|--------|-----------|--|
| Characteristic | Lower | Upper | Min | Max | Insp. Acc | |
| A. OUTSIDE DIAMETER | 5.9940 | 6.5020 | 6.140 | 6.150 | ОК | |
| B. NO. OF COILS 1D | 3.8750 | 4.1250 | 4.125 | 4.125 | OK | |
| C. FIRST COIL C | 5,9940 | 6.5020 | 6.080 | 6.100 | ОК | |
| D. NOTCH ANGLE | 15.0000 | 90.0000 | 45.000 | 45.000 | OK | |
| E. TANG LENGTH | 3.3280 | 4.6200 | 3.440 | 3.730 | OK | |
| L. NO. OF LOCK FLATS | 5. | 0000 | 5.000 | 5.000 | OK | |
| M. NO. OF LOCK COILS | 1. | 0000 | 1.000 | 1.000 | OK | |
| N. LOCK COILS POS. 1D | 1.0625 | 3.6250 | 2 626 | 2.626 | OF | |

ALL DIMS IN mm

ALLANGLES IN DEGREES

| END ONE / | Sample Size | Insp. Acc. |
|-------------------|----------------|---------------|
| INSERT ONTO TOOL | 8 | OK |
| INSERT INTO HOLE | 8 | ОК |
| | ACC | /REJ |
| COLOUR RED | 1 0 | K |
| COLD BEND TEST | 0 | K |
| SURFACE ROUGHNESS | 0 | K |
| SPACING TEST | 0 | K |
| TANG CENTRAL TO H | 0 | K |

| SAMPLE SIZE 8 | MIN TORQUE 2.000 | MAX TORQUE 13.000 | ACC /REJ |
|--------------------|---------------------|----------------------|-------------|
| 1. 1st INSERTION | 3.400 | 4.900 | OK |
| 2. 1st WITHDRAWAL | 3.300 | 5.400 | ОК |
| 3. 7th Insertion | 2.900 | 3.900 | ОК |
| 4.7th WITHDRAWAL | 2.800 | 4.500 | ОК |
| 5. 15th INSERTION | 2.400 | 3.200 | OK |
| 6. 15th WITHDRAWAL | 2.300 | 3.800 | ОК |

Name: DAN GOLDSBROUGH

QUALITY & SYSTEMS TECHNICIAN

Advanex Europe Ltd are BSI Registered BS/EN/ISO 9001:2008 Certificate Number FM 20982 BS/EN/ISO 14001:2004 Certificate Number EMS 523167

0000254 ISS:3 14/06/2011

| INSI Contractor | PECTI | ON C | ERTII | ICAT | E | 検 | 查報台 | | | Date Of | Traue | 011.11.1 | | 17 (X1978 | š |
|---------------------------------------|----------------------------------|-------------|----------------|--|-----------------------------|--------------|----------------|--|---|---------|-------------------------|---------------|----------------|--|--|
| Contractor 要 的 先 株式 Description | <u>会社ペア-</u> | -技研 | | | 1- | | | Custome | 東 貴壮 | · | | ., | | | 御中 |
| IN 0.2 Mars.st | ンレス鋼を 754.2 | k. | Namber 異数 8 | | Type A OK Steel A 興種名 | \$7245 (SI | IS304) | 73,20 | 技 0.705 | Cone | itinia | | Dedag NA | ······································ | |
| | 144.2 | 5.0 | | | mara | | | | | | 上 3/48 | UB | Order Na. 交往番号 | AA44321 | |
| Elements 或 | C | Si | Mn | P | Nemical S | Compos Ni | Cr | Ha. | Cu | 12 9 | # # (% | 1 | | | <u>`</u> |
| Specification 格 | 0,08 XAN | NAX O | 2,00 NAX | 0,045 MAX | 0,030 MAX | | | | | | | | | | |
| Heat No. | HAX | MAX | XAX | MAX | RAX | 10:50 | 18:00 20:00 | NAX ⁵ | 0.75 NAX | | | | | | |
| E37020 | 0.07 | 0.45 | 1.25 | 0.030 | 0.004 | 8.43 | 18.04 | 0.23 | 0.33 | • | | | | | |
| | | | | | | | | 1 | | | | • | | • | |
| | i · i | | | | | l | l | 1 | | | | | | | |
| Inspection Items 株 支 東 日 | | | | | | PERSCI | | ulia | | | | <u> </u> | | | |
| Specification | WASS | # | <u> </u> | 生 | | Temple Stri | ngth \$ | | | | | | | | |
| Inspection No. | ke | 8:79 | 8 | | | 1878 | | | | | | | | | · |
| 1018-59221 | 116.6 123.4 124.2 167.0 | 8:78 | 4 | | | 1635 | | | | | | - | | | • |
| | 3 124 4 4 124 2 | | • | | | 1030 | | | | | | | 1 | | |
| | 1 124.2 5 187.0 | | | • | | | - 1 | | | | | • | (3) | \ | |
| | ! · | 以上 | | ٠ | | | . | - 1 | | | l | | (Pe | <i>/</i> | |
| | Ì | | | • | | ŀ | Ì |] - | | | .] | | | | |
| | 1 | 1 | | | ' - | | | . | | | *- | | |]. | |
| | Ì | 1 | | | | ļ | | İ | | | | | | ľ | |
| | · | | | | | . : . | | | : | | | |] | | • |
| | . | | | | : ; | · | | | • | | •]. | • |] | | |
| | <u> </u> | <u> </u> | | ······································ | | <u> </u> | | | : :::::::::::::::::::::::::::::::::::: | | | | | | |
| 外競 | ; 良 | | | | · | | | It is he that the | reby oppiled a above reads. | | ON SHISEN | | | | |
| | • | | ٠ | | | | · | THE CONTRACTOR OF THE CONTRACT | o and carnet y detail b:::::::::::::::::::::::::::::::::::: | 6151 | Concepts He AZMATELT | shate Chate) | | | |
| | | | | • | · · | | | ALT | ACCEPTURE T | | T# | 1 | -840-1264 | | |
| ••• | | • . | | • | | | | | | • | eata Plai | (i) "(*) | | | A CONTRACTOR OF THE CONTRACTOR |
| · | | • | | | • | | A (1) | 1 | والمار المارية | 7.5 | Sec. 2 | | · | · . | 4 |

Sales Order Number: 718553 Finished Lot Number: 81471-07-004 REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249 13402 BEACH AVE., MARINA DEL REY, CA. 90292

TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 93007A SOLD TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030

SHIP TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030



| SALES OF | | | | | CUSTOMER P.O. NO. | BUYER | | | SALESPERSON | TERMS | |
|----------|--|--|---|----------|------------------------------|-------|----------|--|---|---------------------------------------|--|
| 718553 | } | | | - (| 65392 | MARY | LYNN MAR | ΓIN | FRED | 1%10 NET30 | |
| DATE OR | DERED | DATE S | SHIPPED | SHIP VIA | / FOB / SPECIAL INSTRUCTIONS | | | | 111125 | 1/810 (VE130 | |
| .1-1 | 3 | | | UPS G | round - Collect Acct #: 3165 | E0 | | | | | |
| LINE | ORDER | RED | PART NU | MBER/C | ESCRIPTION/LOT NO. | | SHIPPED | NOTES | | · · · · · · · · · · · · · · · · · · · | |
| 1 | 1, | ADERED PART NUMBER/DESCRIPTION/LOT NO. 1,000 TLC04C0224 KATO FASTENING SYSTEMS MADE IN U.K Cust Part #: MS21209C0420 ACCEPTED 1,000 PCS CTL# 82723-01-001 MFG LOT # C19224/ENGLAND Country of Origin: ENGLAND MFG: KATO FASTENING SYSTEMS | | | | | 1,006 | | ARS 252.225-7014 A | | |
| | | F | PC - PHYS | SICAL /C | HEMICAL CERTIFICATION | | | | <u> </u> | | |
| 2 | 1,0 | A | PLH358M ALCOA / S Cust Part # | | DS MADE IN FRANCE 291-8 | | \ | Ship: 1,00 IAW DFA | 00 Date: 05-07-13 RS 252.225-7014 A | LT 1. | |
| | | F | C - PHYS | SICAL /C | HEMICAL CERTIFICATION | | | | | | |
| 3 | 5,0 | F | PC - PHYSICAL /CHEMICAL CERTIFICATION 10SD25A307B25 PAOLO ASTORI MADE IN ITALY Cust Part #: NAS1474A3 2,500 PCS CTL# 82013-05-001 MFG LOT # 46716/ITALY CD 4Q20 Country of Origin: ITALY MFG: PAOLO ASTORI SPA | | | | 2,500 | | 00 Date: 08-15-13 RS 252.225-7014 AI | LT 1. | |
| | | P | C - PHYS | ICAL/C | HEMICAL CERTIFICATION | | | | | | |
| 4 | 2,000 1OSD25A087B22 PAOLO ASTORI MADE IN ITALY Cust Part #: NAS1474A08 | | | | | 0 | | 0 Date: 03-30-13 RS 252.225-7014 AL | -T 1. | · | |

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS. NO RETURNS ACCEPTED WITHOUT AUTHORIZATION. NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -DO NOT MIX LOTS

PAGE: 1 of 5

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249

13402 BEACH AVE., MARINA DEL REY, CA. 90292 TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 93007A SOLD TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030

SHIP TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030



| SALES OF | | | | | CUSTOMER P.O. NO. | BUYER | | | SALESPERSON | TERMS | | |
|----------|-------|------|--------------------------------------|------------------|--|--|----------|-------|--|------------|--|--|
| 718553 | OX | | | | 65392 | MARY | LYNN MAR | ΓΙΝ | FRED | 1%10 NET30 | | |
| DATE OR | DERED | DATE | SHIPPED | SHIP VIA | / FOB / SPECIAL INSTRUCTIONS | | | | | | | |
| 11-1 | 13 | | | UPS G | round - Collect Acct #: 31 | 65E0 | | 1 | | | | |
| LINE | ORDER | RED | PART NUMBER/DESCRIPTION/LOT NO. | | | | SHIPPED | NOTES | | | | |
| | | | | | CHEMICAL CERTIFICATION | N | | | | | | |
| 5 | 2, | | 710 PCS | #: NAS1 | CTL# 82608-001 MFG LOT # 5838233-00 Country of Origin: USA MFG: ALCOA FASTENE KAYNAR CTL# 82608-003 MFG LOT # 5838407-00 Country of Origin: USA MFG: ALCOA FASTENE KAYNAR CTL# 82608-004 MFG LOT # 5838408-00 Country of Origin: USA MFG LOT # 5838408-00 KAYNAR | CD4Q2012 Lev. 9 CD4Q2012 Lev. 9 CRS SYSFULL COCD4Q2012 Lev. 9 CRS SYSFULL | ERTON/ | | Date: 11-30-13 RS 252.225-7014 AL | T 1. | | |
| | | İ | QM - P/C (QUALIFYII | CERT W NG COL | MELT SOURCE NOTICE | FROM | | | | | | |
| 6 | 1,0 | | TLF06C02 INSERT, H Cust Part # | IELICAL | ., 6-40 X 1.5D MADE IN U.I 209F0615 | < | 0 | | 0 Date: 04-30-13 RS 252.225-7014 AL | Т 1. | | |

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS. NO RETURNS ACCEPTED WITHOUT AUTHORIZATION. NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -DO NOT MIX LOTS

PAGE: 2 of 5

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249 13402 BEACH AVE., MARINA DEL REY, CA. 90292 TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 93007A SOLD TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030

SHIP TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030



| SALES OF | RDER NO. | | | | CUSTOMER P.O. NO. | BUYER | | | SALESPERSON | TERMS | |
|------------|----------|---------------------------------------|---|----------|------------------------------|---------------------------------------|--------------------|-------------|--------------------------------------|------------|--|
| 718553 | , , , | | | | 65392 | MARY | LYNN MART | IN | FRED | 1%10 NET30 | |
| DATE OR | DERED | DATE | SHIPPED | SHIP VIA | / FOB / SPECIAL INSTRUCTIONS | · · · · · · · · · · · · · · · · · · · | | | | | |
| .1-1 | 3 | | | UPS G | round - Collect Acct #: 31 | 165E0 | | | | | |
| LINE | ORDEF | RED | PART NUMBER/DESCRIPTION/LOT NO. | | | | SHIPPED | NOTES | | | |
| | | | PC - PHYSICAL /CHEMICAL CERTIFICATION | | | N | | | | | |
| 7 | | | TLF06C0276 INSERT, HELICAL, 6-40 X 2D MADE IN U.K Cust Part #: MS21209F0620 | | | | 0 | | Date: 04-30-13 RS 252.225-7014 AI | -T 1. | |
| | | | PC - PHY | SICAL / | CHEMICAL CERTIFICATION | N | | | | | |
| 8 | 10, | 000 | PC - PHYSICAL /CHEMICAL CERTIFICATION TLF3C0190 KATO FASTENING SYSTEMS MADE IN U.K Cust Part #: MS21209F110 10,000 PCS CTL# 81471-07-004 MFG LOT # C18515/ENGLAND Country of Origin: ENGLAND MFG: KATO FASTENING SYSTEM | | | GLAND AND | A. | IAW DFA | RS 252.225-7014 AI | | |
| | | | PC - PHYS | SICAL/C | HEMICAL CERTIFICATIO | N | | | **** | | |
| ; 9 | 10, | | TLF3C0190W INSERT, HELICAL, 10-32 X 1D MADE IN U.K Cust Part #: MS21209F110L 10,000 PCS CTL# 82458-05-003 MFG LOT # C18517W-01/ENGLAND Country of Origin: ENGLAND MFG: KATO FASTENING SYSTEMS | | | | RS 252.225-7014 AL | Т1. | | | |
| | | PC - PHYSICAL /CHEMICAL CERTIFICATION | | | IN . | | | | | | |
| | | | | | | | | | | | |

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS. NO RETURNS ACCEPTED WITHOUT AUTHORIZATION. NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -DO NOT MIX LOTS

PAGE: 3 of 5

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249 13402 BEACH AVE., MARINA DEL REY, CA. 90292

TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 93007A SOLD TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE. FL 329041030

SHIP TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030



| SALES OF | RDER NO. | | | | CUSTOMER P.O. NO. | | BUYER | | | SALESPERSON | TERMS | |
|----------|-------------|------|--|--------------------|---|--|-------|-------------|-------|-------------------|------------|--|
| 718553 | | | | | 65392 | | MARY | LYNN MART | IN | FRED | 1%10 NET30 | |
| DATE OR | DERED | DATE | SHIPPED | SHIP VIA | FOB / SPECIAL INSTRU | CTIONS | L., | | | | | |
| .1-1 | 3 | | | UPS G | round - Collect A | cct #: 3165E0 | | | | | | |
| LINE | ORDEF | RED | PART NU | MBER/D | ESCRIPTION/LO | T NO. | | SHIPPED | NOTES | | | |
| 10 | 1, | 000 | TLF3C038 INSERT, I Cust Part 1,000 PC | HELICAL #: MS21 | ., 10-32 X 2D MAE 209F120L CTL# 82744-03 MFG LOT # C18 Country of Origi MFG: KATO FA | A0 -004 8972W-01/EN0 n: ENGLAND | | 1,000 | | RS 252.225-7014 A | | |
| | | | PC - PHYS | SICAL /C | HEMICAL CERTI | FICATION | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS. NO RETURNS ACCEPTED WITHOUT AUTHORIZATION. NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -DO NOT MIX LOTS

PAGE: 4 of 5

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249 13402 BEACH AVE., MARINA DEL REY, CA. 90292

TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 93007A SOLD TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030

SHIP TO:

EAST COAST AVIATION SUPPLIES

399 EAST DRIVE

MELBOURNE, FL 329041030



| SALES OR | DER NO. | | | CUSTOMER P.O. NO. | BUYER | · | | SALESPERSON | TERMS | | |
|----------|---------|--------------|-------------|------------------------------|--------|-----------|---|--|---|--|--|
| 718553 | | | | 65392 | MARY | LYNN MART | 'IN | FRED | 1%10 NET30 | | |
| DATE ORD | ERED [| DATE SHIPPED | SHIP VIÁ | / FOB / SPECIAL INSTRUCTIONS | • | N | 2 | | | | |
| ,1-13 | 3 | | UPS G | round - Collect Acct #: | 3165E0 | | | | | | |
| LINE | ORDER | ED PART NU | JMBER/C | ESCRIPTION/LOT NO. | | SHIPPED | NOTES | \$ 1 PT 2 | 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| | | | | | | | traceability form of ce ports on fi factured ir AIRCRAF ibility for n implied wa ibility not t must com | ory is purchased and y, unless otherwise ortification of conformation ile, available for insponsion accordance with a T FASTENERS INTo nanufacturing or fur arranties to liability to exceed the invoice ply with US Export we with US Export we see the second seed the second with US Export we want to second seed the second | d maintained with manufacturer's lot number specified, with documentary evidence in the mance and/or physical and chemical test repection, attesting that items have been manuall applicable standards and specifications. TERNATIONAL, LLC. disclaims any responstictional defects and hereby limits express or for replacement of this material, with responste amount. When exporting this product you Administration regulations. Any diversion to U.S law is prohibited. | | |
| | | | | | | | | QUA | ALITY MANAGER | | |
| | | | | | | | | | | | |

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS. NO RETURNS ACCEPTED WITHOUT AUTHORIZATION. NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -DO NOT MIX LOTS

PAGE: 5 of 5



CERTIFICATE OF CONFORMANCE

EAST COAST AVIATION

I Hereby Certify that on 3/18/13 Airfasco Industries provided the supplies called for by Contract/PO Number 65702 in accordance with all applicable requirements for shipment. I further state that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States. DFAR 252.225-7014 ALT 1 compliant in fastener base raw material melt source only, with heat number and country, does not include the post cadmium metal plating.

Quality Assurance Representative

| PART NUMBER | LOT NUMBER | QUANTITY | PART NUMBER | LOT NUMBER | QUANTITY |
|-------------|------------|----------|-------------|------------|----------|
| AN4-16A | 23009 | 10000 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | · |
| | | | | | |



PHYSICAL AND CHEMICAL CERTIFICATION

| DATE MFG.: <u>03/1</u> | 5/13 | | | | | PART NO.: AN4-16A per NASM4-16A rev. 2 | | | | | | |
|-------------------------------|----------|----------|---------------|------------------|------------|--|---------|----------|-----------------|------------------|-------------|--|
| AFC LOT NO.: 23 | 009 | | | | | QTY MFG.:74,800 | | | | | | |
| PROCUREMENT | SPEC | IFICAT | ION: P | roduced | per NA | SM 6812 | · | | | | | |
| | | | | HEAT | TREA | <u>T</u> | | | | | | |
| VENDOR: Brite M | etal | | | · | | CERTI | FICAT | ION NO | .: <u>16338</u> | 5 | | |
| PROCUREMENT | SPECI | (FICAT) | ION: <u>H</u> | eat Trea | t per Al | MS-H-68′ | 75 B | | | | | |
| | | | | PLAT | <u>ING</u> | | | | | | | |
| VENDOR: Beringe | r Platin | g' | • | | | CERTII | FICATI | ON NO | .: <u>73485</u> | | | |
| PROCUREMENT | SPECI | FICAT | ON: <u>C</u> | <u>admium</u> | Plate po | er AMS-(| 00-P-41 | 16C, Typ | e II, Clas | ss 2 | | |
| | | | | MATE | ERIAL | | | | | | | |
| MILL: Solon Wire | | | COU | NTRY (| OF MEI | LT: <u>USA</u> | | · | HEAT | r: <u>517053</u> | 1 | |
| GRADE SPECIFIC | CATIO | N: Alloy | Steel p | er AMS | 6300 E | . Type 40 | 37, .27 | 5" | | | | |
| | | | 4037 | MATE | RIAL | CHEMIS | TRY | | | | | |
| ELEMENT-ID. | -C- | -MN- | -P- | -S- | -SI- | -NI- | -CR- | -MO- | -CU- | -AL- | Other | |
| LADLE | .370 | .850 | .007 | .003 | .200 | .060 | .070 | .230 | .070 | .033 | | |
| | | | | | 1.200 | .000 | 1.070 | .230 | .070 | .033 | L | |

| | | PHYSICAL PI | ROPERTIES | |
|----------|------------|-------------|------------|-----------|
| PHYSICAL | TENSILE | YIELD | SHEAR | HARDNESS |
| REQUIRED | 4,080 lbs. | 3,130 lbs. | 3,680 lbs. | HRC 26-32 |
| ACTUAL | 5,319 lbs. | 4,780 lbs. | 4,242 lbs. | HRC 29-30 |

We hereby certify that the above data is correct and that the fasteners have been manufactured and inspected in accordance with Airfasco Industries quality requirements.

Airfasco Industries

Quality Assurance Representative:

Vm. Dent



CERTIFICATE OF CONFORMANCE

EAST COAST AVIATION

I Hereby Certify that on 2/15/13 Airfasco Industries provided the supplies called for by Contract/PO Number 65702 in accordance with all applicable requirements for shipment. I further state that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States. DFAR 252.225-7014 ALT 1 compliant in fastener base raw material melt source only, with heat number and country, does not include the post cadmium metal plating.

Quality Assurance Representative

| PART NUMBER | LOT NUMBER | QUANTITY | PART NUMBER | LOT NUMBER | QUANTITY |
|-------------|------------|----------|-------------|------------|----------|
| AN4-17A | 22221 | 10000 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



HRC 26-32

HRC 31

PHYSICAL AND CHEMICAL CERTIFICATION

| DATE MFG.: 1 | -2-13 | the think the state of the stat | | PART | 'NO.: A | N4-17A | per NAS | M4-17A | rev. 2. | | | |
|----------------|----------------|--|----------|-----------------|---------|--------------|------------------|-------------------------|--|--|--|--|
| AFC LOT NO.: | 22221 | | | QTY MFG.:22,050 | | | | | | | | |
| PROCUREMEN | NT SPECIFICATI | ON: Produce | d per NA | SM 681 | 2 | | | | | | | |
| | | | T TREA | | | | | | | | | |
| VEREOR: Brile | Metal | 1981 - N. C. C. C. Santana | | CERT | UTCAT | YON MO |).: <u>16128</u> | 8 | and the same of th | | | |
| | T SPECIFICATIO | | | | | | | | | | | |
| | | PLAT | | | | | | | | | | |
| VENDOR: Bering | ger Plating | • | | CERTI | FICAT | ION NO | : 69448 | | | | | |
| PROCUREMENT | T SPECIFICATIO | N: <u>Cadmium</u> | | | | | | | | | | |
| | | • | ERIAL | | | | | | | | | |
| MILL: Charter | (| COUNTRY (| OF MEL | T: USA | | | HEAT | Г: <u>568110</u> | | | | |
| GRADE SPECIFI | | | | | | | | | | | | |
| | | | | | | Y | | | | | | |
| ELEMENT-ID. | | 8740 MATE | RIAL C | HEMIS | TRY | | | | | | | |
| LADLE | -CMN- | -PS- | -SI- | -NI- | -CR- | -MO- | -CU- | -AL- | Other | | | |
| | .410 .930 .0 | 008 .013 | .240 | .430 | .520 | .210 | .170 | .025 | | | | |
| | | *************************************** | ***** | | | | | | | | | |
| PHYSICAL | TENICIE E | PHYSICA | L PRO | PERTIE | S | | | | | | | |
| REQUIRED | TENSILE | YIELD | | SHE | AR | | HAR | DNESS | | | | |
| ACTUAL | 4,080 lbs. | 3,130 lbs. | | 3,680 | lbs. | | HRC 26-32 | | | | | |

We hereby certify that the above data is correct and that the fasteners have been manufactured and inspected in accordance with Airfasco Industries quality requirements.

> Airfasco Industries Quality Assurance Representative:

4,812 lbs.

3,680 lbs.

4,362 lbs.

ACTUAL

5,359 lbs.

E TRAY **Plating Works**

Specialized Electro-Plating and Polishing Nickel Copper Decorative Chrome Satin Chrome Zinc

Cadmium

Passivate Bright Dip Strip Copper Descale

10406 EAST ELEVENTH STREET • INDEPENDENCE, MISSOURI 84052 Phone (816) 252-8411 Fax (816) 252-8527 • E-mail: DeTrayPlating@Aol.com

July 10, 2008

Mac Fasteners 1110 East Enterprise Street Ottawa, Kansas 66067

Subject: Certification

This is to certify that the following parts have been cadmium plated per QQ-P-416/AMS-QQ-P-416/ NAS4160, Type II Class 2 Please reference our Invoice # 128003 dated 7/10/2008 for:

> P.N. - AN5-14A 38330 Lot#

James T. Pierson, Vice-President

DE TRAY PLATING WORKS

07200800070455

| HERNDON PROI | DUCTS | CUSTOMER | | |
|--|-------|----------|--|---|
| Ö'Fallon, MO'' 63368 Phone: (314) 739-7400 Fax: (314) 739-5344 | | ORDER NO | | _ |
| u. (011)/700 0044 | | CAGECODE | IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | |

TO

B I EAST COAST AVIATION SUPPLIES 399 EAST DRIVE L MELBOURNE, FL 32904

EAST COAST AVIATION SUPPLIES
399 EAST DRIVE
P
MELBOURNE, FL 32904

| | S ORDER 916-A | | MER PO | | HPI PO STOCK | | PACKER KC | ORD GAB | ER CONTACT | | |
|------|------------------|------------|-----------------|--------------|---|--|---------------------|----------------|----------------------------|--------------|----------------|
| 5HTP | DATE 4/14 | WEIGHT | | CARTONS 2 | SHIP VIA UPS GROUND | FOB Origin | | WAYBI 1Z99Y | LL NUMBER 94E0391116052 | BILL 3165 | ING ACCT |
| ITM | BALDUE | 4 BCK | Antitie CORD | SHIP | PART NUMBER | / DESC | | | MFG LOT | | HPI LOT NO |
| 001 | Sta Aug | (1) | O EA | CCEPTED | ANS-14A URF14 WAC FAST BOLT, WACHINE CERT COMP: AR TERMS: Net 30 DFAR Compliant NOTES: export control | Per 252.225 ECCN EAR99 | 7009 | 500 | 38330 | · | 07200800070455 |
| | | | | | | . 10 - 4 . 10 - 4 . 10 - 44 - 10 |) (1) (1) (4) | | | | |
| | | - | | | | | | | | | |

The above commodities are subject to the Export Administrations Regulations (EAR) and/or International Traffic in Arms Regulations (ITAR). It is your responsibility to obtain a validated export license for this material from the Department of Commerce or the Department of State if so required under the applicable U.S. Government Export Control Regulations. The above material shall not be shipped to any country that has an embargo placed on it by the U.S. Government or any entity on the US Debarred list. By accepting the items on this invoice you agree to our Terms and Conditions of Sales. These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. Law is prohibited.

CERTIFICATION: We hereby certify that the material contained in this shipment is new and the supplier has represented that the material was manufactured and inspected in accordance with all blueprint and procurement specification requirements and that the attached documents are certified as true copies of original documents and are on file for review. Evidence of compliance is on file with us and our supplier subject to examination.

NOTWITHSTANDING THE FOREGOING. SELLER DISCLAIMS ANY WARRANTY OR RESPONSIBILTY FOR MANUFACTURING OR FUNCTIONAL DEFECT *Aerospace Fasteners Manufactured in the USA unless otherwise stated.*

By Herndon Products, Inc. Authorized Quality Assurance Agent

Nº 70449

CERTIFICATE OF COMPLIANCE TEST REPORT

FORM REV A 11/09


MADE IN THE U.S.A.

| CUSTOMER NAME | EAST COAST AVIATION SUPP | PL PURCHASE ORDER NO. 58225 |
|--|---|---|
| PART NO. A | N526-1032R9 | REV 6 INTERNAL ROUTING NO. 23664 |
| | | QUANTITY TWENTY SIX THOUSAND SIX HUNDRED |
| | | MATERIAL/SPECIFICATION .176 C1018 TRU SPEC D-C82982 |
| | | DATE 9/28/2011 |
| PHY | SICAL PROPERTIES | CONFORMS TO THE PROCUREMENT SPECIFICATIONS OF: |
| TENSILE STRENG | TH HARDNESS SCALE | FF-S-92B |
| 1) 1464.0 LB T 2) 1442.0 LB T 3) 1459.0 LB T 4) 1457.0 LB T 5) 1403.0 LB T 6) 7) | 1) 2) 3) 4) 5) 6) 7) 8) | OTHER MECHANICAL TEST DATA MEET MAGNETIC PERMEABILITY REQUIREMENTS OF ASTM A342 PARTS ARE FREE FROM MERCURY CONTAMINATION. VISUAL AND DIMENSIONAL INSPECTION SATISFACTORY FINISH |
| OTHER TESTING: | | CAD TYPE I CLASS 3 PER AMS QQ-P-416 REV C |
| | | INSPECTED TO: ANSI/ASQ Z1.4 LEVEL 2 |
| FINISHED FASTEN APPLICABLE SPEC | I ANSI/ASQC Z 1.4 SAMPLE OF T IERS WERE TESTED IN ACCORE CIFICATIONS. SAMPLE PARTS AI ORDS RETENTION AREA AS OBJ D AS REQUIRED. | DANCE WITH ND THE TEST DATA |

CRESCENT MANUFACTURING OPERATING, CO.



Cage Code #63020 700 George Washington Turnpike, Burlington, CT 06013, U.S.A. Telephone: (860) 673-2591 Fax: (860) 673-5973



New Method Plating Co., Inc.

43 Hammond St. Worcester, MA 01610 Phone 508.754.2671 Fax 508.754.1981 www.newmethodplating.com

QUALITY MANAGMENT SYSTEM ISO 9001:2000 AS9100 PEV. B CERTIFIED

Established 1931



CERTIFICATE OF COMPLIANCE

| | • |
|---|---|
| COMPANY CRESCENT MFG. CO. | DATE <u>9/21/11</u> |
| PO# | QUANTITY |
| 23664 | 30,000 |
| JOB <u># 10-32 x 9/16 Ph Truss</u> | AN526-1032r9 |
| CADMIUM PLATED IN ACCORDAL Class <u>III</u> Type <u>I</u> (Clear <u>X</u> | * * |
| Hardness: <u>na</u> I | IRC |
| [X] NO BAKE | |
| [] Before plating, bake at 375+/-25F for 4 hours. | After plating, bake at 375+/-25F for 8 hours. |
| [] Before plating, bake at 275+/-25F for 5 hours. | After plating, bake at 275+/-25F for 23 hours. |
| [] Before plating, bake at 375+/-25F for 4 hours. | After plating, bake at 375+/-25F for 23 hours. |
| Thickness Test | Results |
| Accept [X] Reject [] Min.: Spec. | .0002 Read .00039 Avg00041 |
| Adhesion Test F | <u>Results</u> |
| Accept [X] Reject [] Inspec | eted by: |
| | • |
| <u>Certifica</u> | ation |
| This lot has been processed, sampled, tested, and inspect requirements listed above, and the plating and conversion specification requirements. Process control data is on filter parts have been processed in a mercury free environment Signed: Title: | n coating complies with those contract and and is available upon request. We certify that these |
| | CRESCENT MFG |
| | T.R. NO. 70449 |

NMP R - 1104 Rev. F



Johnstown Wire Technologies

124 Laurel Ave, Johnstown, PA 15906

Phone: 814-532-5680

Fax:

814-532-5684

WORK ORDER 652273

TEST REPORT

D-C82982 SALES ORDER / RLS 119926 / 4

SOLD TO

Tru-Spec Metals, Inc. 21 Commerce Drive North Branford, CT 06471 USA Attn: QA Dept



| | | · ' | | | | | |
|---|-----------|---------------------------|---------------|-------------------|----------------------|---------------------|-----------------------------|
| CUSTOMER P.O. P11182 | | STOMER PART 018176FSPL | | QUANTI 5,918 L | | ING NO 01605 | SHIPMENT DATE 01/04/2011 |
| SPECIFICATION 1018 Aluminu Coated Size: .176+.00 | m Killed | Fine Grain Col | d Heading Qu | ality Spher | odize Annealed | At Finish Size P | HOS & Lube |
| CERTIFICATION R | EQUIREME | NTS | | | | | • |
| | | | | hemical | | • | |
| .18 | Mn .75 | .006 .004 | s si 4 .06 | A1 .042 | | | |
| | | | Mo | echanical | ' | | |
| TEST Tensile Str | | <u>UNITS</u> Lbs/Sql | n | | <u>нісн</u> 57000 | <u>LOW</u> 56000 | AVERAGE 57000 |
| | | | Rod / | Melt Source | | | |
| Country of Canada | Origin | | | | • | | |
| | | | End of | Certification | | | |

CRESCENT MFG T.R. NO. JOUYS

I certify that the results are a true and correct copy of the records prepared and maintained by JOHNSTOWN WIRE TECHNOLOGIES in compliance with the requirements of the cited specification. Chemistry is as reported by the rod / bar supplier and is not in JWT AZLA accreditation. This lest report cannot be reproduced or distributed except in full without the written permission of JOHNSTOWN WIRE TECHNOLOGIES. The test results certified herein relate only to the items tested.



D. L. Deetscreek Director of Quality Assurance

NO. 907 **ArcelorMittal**

Certificat d'essal/Test Certificate

Usine de Contrecoeur Est / Contrecoeur East works

Vandue & - Sold to JOHNSTOWN WIRE TECHNOLOGIES INC. 124 Laurel Avanue JOHNSTOWN PA 15908 ETATS-UNIS

Expádié à - Shipped to JOHNSTOWN WIRE TECHNOLOGIES INC. 124 Laurel Avenue JOHNSTOWN PA 15908 ETATS-UNIS

Ng de com . No de comm. Colinaissomen Dalo popy (Dale du centi No le Certifical) Sale order . Customer Order . Customer Order . Customer Order . Customer Order . Customer Order . Customer . Customer Order . Customer .

Pojds expedie Welghi

Coulée Heat C92982__01

Anicle Description of the Market Mark

.. No Malariel No pièce Malariel No Rari No 20024360 000000000

ANALYSE CHIMIQUE-CHEMICAL ANALYSIS (%)

Couldo/Heat: 062982 D1 0.180 0.75 Coulde/Reat: N En 0,006 8,002 0.000 0.004 0.06 0.004 0.542 0.042 TIL Co Sb C82982_01 0.0039 0.003 0.002 0.004 0.000 0.000 0.0001 0,0027 0,000

ESSAI JOMINY - JOMINY TEST(hRc)

J12 J14 Coulée/Heat: JH 36 032 71 35 39 310 J16 320 C82982_01

Propriétés mécaniques - Mechanical properties

Coulco Tensile ለቀአ Striction (%) L. Ultime (EEX) C82982__01

The Chemical Analysis was performed at ArcelorMittel Montreal Inc. laboratory, 3900 route des Acieries, Contracosur (Quebec) Job 100 Canada. The laboratory is accredited by BNQ according to ISO-17025 (certificate no 270). The testing methods used by the laboratory are ASTM E416 and ASTM 51019.

CRESCENT MFG T.R. NO. 70449

Tru-Spec Metals, Inc.

21 Commerce Drive ~ North Branford, CT 06471 ~ 888-484-5151 ~ Fax 888-484-5154

2/21/2011

We certify that the following material was supplied by Tru-Spec Metals, Inc. and shipped to Crescent Manufacturing Company:

| Dia. | Grade | Temper | Quantity | Heat # | PO# | Producer |
|-------|-------|--------|----------|---------|---------|-----------|
| .176" | C1018 | SAFS | 1,447# | DC82982 | K10-365 | Johnstown |
| .176" | C1018 | SAFS | 3,484# | DC82982 | K11-49 | Johnstown |

Sincerely,

Linda MacLean

Tru-Spec Metals, inc.



Sivaco Québec A DIVISION OF SIVACO WIRE GROUP 2004 L. P. 800, nue Curditate, Marieville (Carábee) Canada, J3M 1P5 Tot.: (450) 658-6741 Pax: (450) 480-3828

CUSTOMER

TRU-SPEC METALS, INC NORTH BRANFORD, CT

PHYSICAL TEST REPORT

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|---------------------|
| DATE | SIVACO ORDER NO. |
| 2011-09-07 | M431556-1 |

| | LOADIN | G TALL | Y NO. | | | | | | | SHIPP | ING MEY | AO, NO; | <u>. i</u> | <u> </u> | برورس کو | | <u> </u> | | | L TESTS | NU. | <u> </u> | . :- | <u> </u> | | |
|--|----------------------------------|--------|------------------------------|-------|----------------------|----------|---------------|----------|----------------|----------------|----------------------|------------|--|----------|----------------|----------|-------------|-------|--|-----------|-----------------|-------------|------------------|--------------|--|--|
| | 511 | 881-0 | 0 . | | | | | | | 40 | 6457 | | | | | <u> </u> | | | 21 | 4701 | | | | | | |
| PURCHASE ORD | ER NO. | | · | QUAN | ITY OR | ERED | | 111 | | • | PR | ODUCT | | | *** | | 1 1/27 | | | SPE | 90. | <u></u> | | | | |
| P12221 | | · |). | - 18 | 2,000 LI | is | | | | 10181 | FG SAF 76FSP | | | | | | | | ASTM | F2282, 8 | 2, SAE AIR 4127 | | | | | |
| HEAT NO. | | *C | %Mn | ×P. | % \$: | : %SI | .%A J | *Cu | | CHE | MICAL KMo | ANA %Sn | LYSIS %Pb | | KN5 | ¥й, | %Zn | %B | XAL | %Co | %N2 | 402 | %Ca | * | | |
| C88032 | | .16 | .70 | 800. | .006 | .05 | .058 | .04 | .02 | .02 | .004 | 800. | | .0020 | | | | ,0001 | | | .0025 | · | | | | |
| | | | | | | | | | | ļ. 1 | | | | | | | | | | | | | . • | | | |
| | | | | L | L | <u> </u> | Ļ | <u> </u> | <u> </u> | l R | L ESUL | rs | L | <u> </u> | l | L | L | | L | L | | L | | <u></u> | | |
| SAMPLE | DIAMETI | EA | BREAK LOAD (| | .U.T.S. K.S.J. | | R.O.A. (%) | | SQUA | | HEAT NO | | COIL | n . | | | | | | | | | | | | |
| SPEC. | ,1745 ,1775 | | | | 67.0 MAX: | | 68.00 | | | · . · . | | | | | | | | VŞ. | | | | | | ÷: | | |
| HP M431556-1 HP M431556-2 HP M431556-3 | .1758 128美。 .1760 | | 1418 1383 1868 | i i i | 58.8 56.8 55.8 | IX:4 | 83.4 86.0 | 40000 | OK OK | | C860 C860 | 22 CIS | 1671 1693 | | | | | | | | | | 74.45.5 2016 | | | |
| HP M431558-5 | .1780 .1780 .1780 .1785 | | 1365 1376 1387 1386 | | 56.6 57.0 56.6 | | 85.2 | | OK OK OK | NAME OF STREET | C860 C860 C860 | 32 20年史 | 1683 1683 1680 1687 | | PIE WALLET | | | | 1 | | | ere. | | | | |
| HP-M431666+8 HIPPED: 8 | 1761. | | 213 89 3 | | 57.0 | | Γ | | ĺ | | 1 . | | | | THE THE THOUSE | | | | | | i | | in III Marka | 1964 2062 | | |
| | A WE | | L | | | | h | | | | | | , | | | | | | | | | Saucte V | | ern Mil | | |
| | - 188.6. - 1 | | | | | | | | 1 | | 1 | | l | | | | 1 | | ************************************** | A HACK WA | 1 | e Par | | | | |
| وعموري والأرافات | | in 6. | | | | | i | | ı | | l | | T. | | TANK! | HIN | 499 | | | | 7488 | | MA. |)Árs | | |
| 43 | | 35) Ç | 1944 C | YOU! | 1800 | | | 'SA' | 252 | 2014 | SEA. | | DESCRIPTION OF THE PERSON OF T | | | | T IN | | | | STEERS | | 可對 | HÀ | | |
| | | • | | | ı | | | | 1 | | 1 | | HOSPITALIA F | | | | | | | | l | | | | | |
| ं - इंस्पृति हो विदेश | | | | | | | | | 1 | | | | 1 | TACK! | | | | | - | | <u> </u> | | 52348. 52348. | er. Ne | | |
| V 1 (5 1.05 - 50) | | | l. | | | | • | | 1 . | | 1 | | i . | | i . | | 1. | | | | li. | | 3000 | | | |
| | iii. W | | | | 1 | | ı | | 1 | | i i | | 1 | | | _ 00., | | | 11921 | | 1 | | | - | | |
| | | | 1 | | | | | | 1 | | 1 | | Į. | | 1 ' | | OF RE | | 2027 | | ART OF | | | , E | | |
| A4. 436A | | | | | | | 1 | | Į. | 中国以 | ı | | | | 1 | | | | 13800 | | Nie | 的建筑 | HH | NÖ | | |
| ** | | 饭道 | 0420 | | MY | | | | WIE. | NIZ. | | | XIIX | | | | W. | WEEK | | | 32 | | New Services | 接着 | | |

APPROVED BY: 3205
Michel Cryles



CRESCENT MFG T.R. NO. 70598



MILL TEST CERTIFICATE

IVACO ROLLING MILLS

P.O.BOX 322, L'ORIGNAL, ONTARIO, CANADA KOB 1KO TEL: (613) 675-4671 FAX: (613) 675-6866

90001 0442 SIVACO QUEBEC

800 OUELLETTE STREET

MARIEVILLE (QC) J3M 1P5

This report contains analysis data that were produced under subcontract by laboratory Arcelon/Mittal Canada, Standards council of Canada certificate number 270.

NVLAP only covers the chemistry presented within this certificate. All other data is not covered by the NVLAP accreditation.

Lab Code 200143-0

ATTENTION: Chris Bonilla

VIA · ERMAN

| | | | | | ANJ. | | • | | | | | | Date F | online. | 00 11 | 0044 | | | | | • | |
|------------------------------|--------|-------|-------|-------------|--------|-----------------|----------|------------------|----------|------|-------|--------|---------|----------|---------|----------|-------------|--------|----------|------------|-------------|-----------|
| P.O. Numbe | r Oı | der N | umber | Hea | t Num | her. | Cust | omor i | | | | | | | 02-Jul- | | Dat | e Chem | icai Ana | ılysis Per | formed | 06-Jun-20 |
| 110093 | | 40097 | | | C86032 | | | | Spec. | 5 | ec Ke | v. No. | Cu | stome | r Part | No. | Bille | t Orde | 7 2 3 | Grad | de . | Diamete |
| 1. O. W. 1. O. S. | | 10001 | U11 | | C00U32 | | P | D418 | | | | | | 41XX | | | | 15929 | | 018AK | CHQ | 6.50 mm |
| Barrell State of the Control | | | | | | | | | | Heat | Analy | icie | | | 7. | | | | | | Onlo | 1 0.50 mn |
| · · · | C | Mn | P | S | Si | Cu | Ni | Cr | Мо | | 41 | | | 1000 | 31.1 | | | | | | | |
| Spec. Min * | .15 | .65 | | | | ~~ | | ''' | 1410 | Sn | AI | N | B | <u> </u> | | <u>L</u> | J. | | | | | |
| Actuel | | | - | | | | <u> </u> | | <u> </u> | | .020 | | 1 | 1 | | | | | | | | |
| | .16 | .70 | .008 | .006 | .05 | .04 | .02 | .02 | .004 | .006 | .058 | .0025 | .0001 | 002 | | | | | | ┿┷┷ | | _ |
| Spec. Max* | .18 | .90 | .020 | .015 | .10 | .10 | .10 | .10 | .015 | .015 | | .0080 | | | | | | | | | | |
| This is to cortifu that | hand a | | | | | | 1 | | 1.0.0 | .015 | .000 | 1.0000 | טו טט.ן | 1 .015 | | | | | | 1 | | |

o certify that heat number C88032 is in conformance with the required specifications.

Heat analysis obtained by test methods ASTM E415 and ASTM E1019.

*Minimum and maximum refer to the required customer specification.

This is to certify that the material is in conformance with the required specifications. Radioactive emissions are at background levels.

The wire rod was produced from Continuous Cast billets.

The product has not come in contact with mercury or any of its compounds during processing at LR.M.

The rod meets SAE AIR 4127

APPROVED BY:

or any agency of the U.S. Government.

Supervisor, Chemistry Laboratory and Billet Inspection This Certificate shall not be reproduced except in full, without the written approved of Naco Rolling Mills LP, a Heloo Company. This certificate is not to be used by the client to dating product endorsement by NVLAP

ISSUED BY QUALITY ASSURANCE:

Date: 9 Sep 2011

Page 1 of 1

TRU-SPEC METALS, INC.

Packing List

21 Commerce Drive North Banford, CT 06471 PH: 800-345-9473 FAX: 888-360-8404

Order #: 833739 Ship Date: 09/14/11

Page:

Bill to: CRESCENT MANUFACTURING

P O BOX 1350

BURLINGTON, CT 06013

USA

Ship to: CRESCENT MANUFACTURING 700 GEORGE WASHINGTON TPK BURLINGTON, CT 06013

ÚSA

| Customer # Customer Purchase Order # 381 K11-236 | | | # | Ship Terms | | Branch | Salesperson | |
|--|----------|--|---|------------|----------|--------------------------|-------------|----------------------|
| | | | | MID-CITIES | | | | |
| Item Number / Descr | | | | cription | | | Heat/Lot | Net Wt |
| | .76 SAFS | | | | TOTAL LB | OF THI C8603 C8603 | 2 | 3131 1599 1532 |

Special instructions:

Total LBS:

3131

30 9001:2000 CERTIFIED ED TAX I.D. #36-3307958

Office Copy

Tru-Spec Metals, Inc.

21 Commerce Drive ~ North Branford, CT 08471 ~ 888-484-5151 ~ Fax 888-484-5154

9/14/2011


We certify that the following material was supplied by **Tru-Spec Metals**, **Inc.** and shipped to **Crescent Manufacturing Company**:

| Dia. | Grade | Temper | Quantity | Heat # | PO# | Producer |
|-------|-------|--------|----------|--------|---------|----------|
| .176" | C1018 | SAFS | 3,131# | C86032 | k11-236 | Sivaco |

Sincerely

Linda MacLean

Tru-Spec Metals, Inc.



New Method Plating Co., Inc.

43 Hammond St. Worcester, MA 01610 Phone 508.754.2671 Fax 508.754.1981 www.newmethodplating.com

QUALITY MANAGMENT SYSTEM ISO 9001:2000 AS9100 REV, B CERTIFIED

Established 1931



CERTIFICATE OF COMPLIANCE

| COMPANY _CRESCENT MFG. CO. DATE _10/4/11 PO# QUANTITY _23663 _30,000 JOB # 10-32 x 7/16 Ph Truss AN526-1032r7 CADMIUM PLATED IN ACCORDANCE WITH AMS QQ-P-416C Class III. Trus II. (Class III. Trus III.) | |
|--|---------|
| | |
| JOB # 10-32 x 7/16 Ph Truss AN526-1032r7 CADMIUM PLATED IN ACCORDANCE WITH AMS QQ-P-416C | |
| CADMIUM PLATED IN ACCORDANCE WITH AMS QQ-P-416C | |
| | |
| Class III Type I (Clear X Yellow Black) | |
| Hardness: NA HRC | |
| [X] NO BAKE | |
| Before plating, bake at 375+/-25F for 4 hours. After plating, bake at 375+/-25F for 8 hours. | |
| Before plating, bake at 275+/-25F for 5 hours. After plating, bake at 275+/-25F for 23 hours. | |
| Before plating, bake at 375+/-25F for 4 hours. After plating, bake at 375+/-25F for 23 hours. | |
| Thickness Test Results | |
| Accept [X] Reject [] Min.: Spec. <u>.0002</u> Read <u>.00033</u> Avg. <u>.00038</u> | |
| Adhesion Test Results | |
| Accept [X] Reject [] Inspected by: | |
| CRESCENT MFG Certification T.R. NO. 70599 | |
| This lot has been processed, sampled, tested, and inspected in accordance with the contract and specification requirements listed above, and the plating and conversion coating complies with those contract and specification requirements. Process control data is on file and is available upon request. We certify that these parts have been processed in a mercury free environment. | |
| Signed: Title: Q.A. Manager Date: OCT 4 21 | \11 |



CERTIFICATE OF CONFORMANCE

EAST COAST AVIATION

I Hereby Certify that on 04/11/14 Airfasco Industries provided the supplies called for by Contract/PO Number 70679 in accordance with all applicable requirements for shipment. I further state that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States. DFAR 252.225-7014 ALT 1 compliant in fastener base raw material melt source only, with heat number and country, does not include the post cadmium metal plating.

Quality Assurance Representative

| PART NUMBER | LOT NUMBER | QUANTITY | PART NUMBER | LOT NUMBER | QUANTITY |
|-------------|------------|----------|-------------|------------|----------|
| AN5-32A | 15137 | 5000 | | | |
| | | | | | |
| | | | | | |
| | | | | · | |
| | | | | | • |



PHYSICAL AND CHEMICAL CERTIFICATION

| DATE MFG: 1-2- | 13 | | يورد و خوردد د مدد | | | PARTN | ió.; <u>AN</u> | [4-17A p | er NASN | 14-17A | rev. 2 |
|-------------------------|-----------|-------------------------|--------------------|-----------|----------|------------------|-----------------|----------|-----------------------------------|--|-----------------------------|
| AFC LOT NO.: <u>222</u> | 221 | Charles of Malacass and | | | | QTY M | FG.: <u>22,</u> | 050 | ng depart white as departs, which | · 20000 at 10,000 at | and appropriate to the same |
| PROCUREMENT | SPECI | FICATI | ON: <u>P</u> 1 | oduced | per NAS | SM 6812 | | | | *************************************** | |
| | | | | HEAT | TREA | T. | | | · | | |
| VEGEOR: Brile M | etal | | | | | CERT | CATE | ON NO. | : 1 <u>61288</u> | (| ,, |
| PROCUREMENT | SPECI | FICATI | ON: <u>H</u> | eat Treat | per AM | 1S-H- 687 | 5 A | | | | |
| | | | | PLATI | | | | | | | |
| VENDOR: Beringer | r Plating | y 2 | | - | | CERTIF | ICATI | ON NO. | : <u>69448</u> | h Afford definition of the state of the stat | |
| PROCUREMENT | SPECI | FICATI | ON: <u>C</u> | admium | Plate pe | r AMS-Ç | Q-P-41 | 6C, Typ | e II, Clas | s 2 | |
| | | | | MATE | RIAL | | | | | | |
| MILL: Charter | | | COUN | NTRY O | F MEL | T: <u>USA</u> | | ··· | HEAT | : <u>568110</u> | |
| GRADE SPECIFIC | CATIO | N: <u>Alloy</u> | Steel p | er AMS | 6322 N | , Type 87 | 40, .28 | 3" | | | |
| | | | 8740 | MATE | DIAT (| CHEMIS | TDV | | | | |
| ELEMENT-ID. | -C- | -MN- | -P- | -S- | -SI- | -NI- | -CR- | -MO- | -CU- | -AL- | Other |
| LADLE | .410 | .930 | .008 | .013 | .240 | .430 | .520 | .210 | .170 | .025 | 30000 |
| | | | | | | | | | | | |
| | | | D | HVCTC | I DDC | DEDTI | 70 | | | | |

We hereby certify that the above data is correct and that the fasteners have been manufactured and inspected in accordance with Airfasco Industries quality requirements.

YIELD

3,130 lbs.

4,812 lbs.

Airfasco Industries
Quality Assurance Representative:

SHEAR

3,680 lbs.

4,362 lbs.

T. West

HARDNESS

HRC 26-32

HRC 31

PHYSICAL

REQUIRED

ACTUAL

TENSILE

4,080 lbs.

5,359 lbs.



CERTIFICATE OF CONFORMANCE

EAST COAST AVIATION

I Hereby Certify that on 2/25/13 Airfasco Industries provided the supplies called for by Contract/PO Number 65703 in accordance with all applicable requirements for shipment. I further state that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States. DFAR 252.225-7014 ALT 1 compliant in fastener base raw material melt source only, with heat number and country, does not include the post cadmium metal plating.

Quality Assurance Representative

| LOT NUMBER | QUANTITY | PART NUMBER | LOT NUMBER | QUANTITY |
|------------|----------|-------------|---|------------|
| 22712 | 5000 | | | |
| | | | | |
| | | · | | |
| | | | | |
| | | | | |
| | | | LOT NUMBER QUANTITY PART NUMBER 22712 5000 | 22712 5000 |



PHYSICAL AND CHEMICAL CERTIFICATION

| DATE MFG.: <u>03/14</u> | /08 | | | | P | ART NO |).: <u>AN5</u> - | -32A per | NASM | 5-32A re | v. 1 |
|--------------------------------|---------|-------------------|-----------------|--------------|-----------|------------------|------------------|-----------------|---------------|----------|----------|
| AFC LOT NO.: 151 | .37 | | | | Q | TY MF | G.: <u>22,6</u> | 96 | | | |
| PROCUREMENT S | SPECIF | ICATIO |)N: <u>Pro</u> | duced pe | er NASI | <u> 1 6812 r</u> | ev. 2 | | | • | |
| | | | | HEAT 7 | TREAT | | | | | | |
| VENDOR: Brite Me | tal | | | | C | ERTIF | ICATIO | N NO.: | <u>B-1387</u> | 64 | <u>-</u> |
| PROCUREMENT | SPECIF | ICATI(|)N: <u>He</u> : | at Treat j | per AMS | S-H-6875 | 5 A | | | | |
| | | ٠. | | <u>PLATI</u> | <u>VG</u> | | | | | | |
| VENDOR: Beringer | Plating | | | | C | ERTIF | ICATIO | N NO.: <u>:</u> | 48358 | | |
| PROCUREMENT | SPECIF | ICATI(|)N: <u>Ca</u> | dmium P | late per | AMS-C | Q-P-410 | <u>бВ, Туре</u> | II, Clas | ss 2 | |
| | | | | <u>MATEI</u> | RIAL | | | | | | |
| MILL: Republic | | | COUN | TRY O | F MEL | T: <u>USA</u> | ···· | | неат: | 7243491 | |
| GRADE SPECIFIC | CATION | I: <u>Alloy</u> : | Steel pe | r AMS | 6300 C. | Type 40 | 37, .328 | », · | | | |
| | | | 4037 | MATEI | RIAL C | HEMIS | TRY | | j | | |
| ELEMENT-ID. | -C- | -MN- | -P- | -S- | -SI- | -NI- | -CR- | -MO- | -CU- | Other | Other |
| LADLE | .380 | .800 | .009 | .003 | .210 | .030 | .080 | .260 | .020 | - | |

| PHYSICAL PROPERTIES | | | | | | | |
|---------------------|------------|------------|------------|-----------|--|--|--|
| PHYSICAL | TENSILE | YIELD | SHEAR | HARDNESS | | | |
| REQUIRED | 6,500 lbs. | 4,980 lbs. | 5,750 lbs. | HRC 26-32 | | | |
| ACTUAL | 8,321 lbs. | 7,913 lbs. | 6,847 lbs. | HRC 29-30 | | | |

Non-Destructive Magnetic Particle per ASTM-E-1444-01

We hereby certify that the above data is correct and that the fasteners have been manufactured and inspected in accordance with Airfasco Industries quality requirements.

Airfasco Industries
Quality Assurance Representative:

Wm. Dent

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA. KANSAS 66067

CERTIFICATE OF CONFORMANCE MANUFACTURER'S AFFIDAVIT

CUSTOMER: BILD INDUSTRIES

PO: 78873

PART NUMBER: AN5C11A

REV: 2

LOT NUMBER: 62261

MANUFACTURED QUANTITY: 3,000

MILL HEAT NUMBER: 567315

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252,225,7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners Inc. certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS, INC. within the United States, and were processed in accordance with all applicable drawings and specifications.

Objective evidence of compliance is on file, subject to examination upon request.

DATE: 05/31/13

QUALITY ASSURANCE REPRESENTATIVE

MacFasteners, Inc. is an AS9100C Regestered Company-SAI GLOBAL - 0058029

MAC FASTENERS, INC. 1110 EAST ENTERPRISE OTTAWA, KS 66067

CHEMICAL & PHYSICAL TEST REPORT

| CUSTOMER | POI | NUMBER | MFG QUANTITY | DATE |
|-----------------|-----|-------------|--------------|----------|
| BILD INDUSTRIES | | 78873 3,000 | | 05/31/13 |
| PART NUMBER | REV | LOT NO | PROCUREMENT | SPEC |
| AN5C11A | 2 | 62261 | · NA | ASM6812 |

| MATERIA | TYPE | 431 | | MATER | RIAL SPE | CIFICATION A493 | ON | MILL HE | T NUMBI 5673 <u>1</u> 5 | | SUPPL | JER CARPEN | ITER |
|---------|------|-----------|-----------|-----------|----------|-----------------|------------|---------|----------------------------|---|-------|---------------|------|
| .15 | .54 | Mn .65 | P .019 | s .002 | Cu | NI 1056 | Cr 16.2 | Мо | V | В | Fe | Ai | Ti |
| | Co | N | ВІ | Pb | Mg | Zn | | Nb | Sn | | | Other | |

MECHANICAL TEST RESULTS - TESTING PER NASM1312

| _ |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| | SHEAR STRENGTH DUNDS / PSI |
|-----------|--|
| | |
| 13,760 | |
| 13,780 | |
| 13,760 | |
| 13,740 | |
| 13,740 | |
| | |
| | |
| | • |
| | |
| | ······································ |
| MIN. REQ. | 11500 |

| | H | ARDNESS | | | |
|---|--------------------|-------------|--|--|--|
| SAMPLE SIZE 5 ACTUAL RESULTS | ROCKWELL "C" SCALE | | | | |
| ACTUAL RESULTS | REQ. | 26 - 32 HRC | | | |
| \$ - 4 - 1 - 1 - 2 - 1 - 3 | SAMPLE SIZE | 5 | | | |
| 29-31 HRC | ACTU | IAL RESULTS | | | |
| | 2 | 9-31 HRC | | | |
| | | | | | |
| | | | | | |

| | METAL | LURGICAL EXAMINATION | |
|-------------------------------------|------------------|----------------------|----------------|
| Discontinuities | ত | Carb/Decarb | V |
| Grain Flow | Ø | Microstructure | ত |
| Grain Size | v | Apppearance | <u> </u> |
| Thread Inspec FED-STD-H28/20 - A | tion SME B1.3 | System System 22 | System □ 23 |

TEST CERTIFICATION

WE CERTIFY THAT THE PART NUMBER, LOT NUMBER, AND SAMPLES REFERENCED ABOVE HAVE BEEN TESTED IN ACCORDANCE WITH THE APPLICABLE SPECIFICATION

FOR THE TESTS REPORTED HEREIN. THIS CERTIFICATION SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE APPROVAL OF MAC FASTENERS, INC.

| NDT/ ADDITIONAL TESTS | |
|--|----------|
| Magnetic Particle Inspection per ASTM E1444 | <u>s</u> |
| Liquid Penetrant Inspection per ASTM E1417 | |
| . Recess Torque Test | |
| Head Marking | U |
| Quality Assurance Representative | |

AS9100C REGISTERED SAI GLOBAL - 0058029

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

HEAT TREAT CERTIFICATION

CUSTOMER: BILD INDUSTRIES

DATE: 05/31/13

PO NUMBER: 78873

MANUFACTURED QUANTITY: 3,000

LOT NUMBER: 62261

MATERIAL:

TYPE 431

PART NUMBER:

AN5C11A

REVISION: 2

REQUIRED HARDNESS:

26 - 32 HRC

SAMPLE SIZE:

5

HARDNESS:

29-31 HRC

HEAT TREAT SPECIFICATION AS APPLICABLE: MIL-H-6875/AMS-H-6875/AMS2759/AMS5853/PS-1001

The fasteners referenced in this report have been processed, inspected and certified by the Heat Treat Contractor in accordance with all applicable drawings and specifications. Heat Treatment has been verified in accordance with procurement specification and part drawing, by metallurgical and mechanical testing as applicable. Evidence of compliance as well as certification from the Heat Treat Contractor is on file and subject to examination upon request.

DIALITY ASSURANCE REPRESENTATIVE

MacFasteners, Inc. is an AS9100C Regestered Company - SAI GLOBAL - 0058029

CERTIFICATE OF TESTS **CERT SERIAL# 000857805** **ABNAHMEPRUEFZEUGNIS**

CERTIFICAT DE CONTROLE

Carpenter Technology Corporation 101 West Bern Street, Reading, Pa. 19601 Tel: (610) 208-2000 (800) 338-4592

01/14/13 CUSTOMER / RESTELLER / CLIENT

MAC FASTENERS INC

THE RECORDING OF FALSE, FICTICIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMEN MAY BE PUBLISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAN, TITLE 16, CHAPLES 47.

THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REPRESENCE TO THE CARPBITER ORDER NADMER.

MATERIAL IS MANUFACTURED FREE FROM HERCURY, RADIUM, ALPHA AND GANNA SOURCE CONTAMINATION THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, OF CARPENTER TECHNOLOGY CORPORATION. WITHOUT THE WRITTEN CONSENT

SELLER / VERKÄUFER / VENDEURPAGE

1110 E. ENTERPRISE OTTAWA KS 66067

BOL

| CUSTOMER ORDER NO./BESTELL-NR./M" DE COMMANDE | CARPENTER NO./MERKS-NR./Nº DE REFERENCE INTERNE | DATE/DATUM/BATE | WESCHT/GEWICHT/POINS |
|---|---|-----------------|----------------------|
| 77997 | W680 4 3 | 01/14/13 | 3546.000 |

HEAT NUMBER / SCHMELZE-NR. / Nº DE COULEE :

567315

PRODUCT DESCRIPTION: TYPE 431 COLD FINISH SEAM FREE ANNEALED C HDG CL K1 HVY

SPECIFICATION: ASTM-A493-09

0.309500 IN.(7.86 MM) RD SIZE WIRE

PRIMARY HEAT CHEMISTRY(WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

0.65 MN(XRF)

0.54(XRF)

P (XRF)

0.002 (COM)

16.2 CR(XRF)

NI(XRF)

TENSILE AS SHIPPED,

KSI(MPA)

92.0(634)

MATERIAL HAS BEEN MELTED AND MANUFACTURED IN THE USA WHICH IS A QUALIFYING COUNTRY TO DEARS REQUIREMENTS 252.225-7014 WITH ALTERNATE 1 FOR QUALIFYING COUNTRY 225.872.1, SUPERSEDED BY DEARS REQUIREMENTS DEARS 252.225-7008 AND 252.225-7009.
THIS ORDER WAS MANUFACTURED IN ACCORDANCE WITH CARPENTER SPECIALTY ALLOYS OPERATIONS QUALITY PROGRAM MANUAL, REVISION 30 DATED 09/28/11.

CARPENTER'S QUALITY MANAGEMENT SYSTEM WAS REGISTERED AS OF NOVEMBER 24, 2010 TO THE REQUIREMENTS OF ISO 9001:2008 APPROVAL CERTIFICATE 10-1385R BY PERFORMANCE REVIEW INSTITUTE. CERTIFICATE OF TEST IS PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN 50049). WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE PURCHASE ORDER AND SPECIFICATION REQUIREMENTS, AS DOCUMENTED INTHIS CERTIFICATE OF TESTS. 2010 TO

TEST METHODS ARE PER THE ASTM STANDARDS ON FILE AND IN EFFECT AT TIME OF ORDER ACCEPTANCE, STANDARD PRACTICES, OR AS AGREED UPON BETWEEN CARPENTER & CUSTOMER.

GARY BROWN MANAGER -MANAGER - SPECIFICATIONS/CERTIFICATIONS CARPENTER TECHNOLOGY CORPORATION

omibility for, any representation or certification to other parties

minum to graniber Direct actories Haltony for the surgendences Dates after Zertificierungen.

manue par de responsabilité pour une certification vis-4-vis d'une tierres personne.

DE TRAY Plating Works

Specialized Electro-Plating and Polishing
Nickel Passivate
Copper Bright Dip
Decorative Chrome Strip Copper
Satin Chrome Descale
Zinc
Cadmium

10405 EAST ELEVENTH STREET • INDEPENDENCE, MISSOURI 64052 Phone (816) 252-8411 Fax (816) 252-8527 • E-mail: DeTrayPlating@Aol.com

Passivate Treatment per QQ-P-35C/SAE AMS QQ-P-35/AMS 2700

CUSTOMER: Mac Fasteners

Lot#: 62261

PART NUMBER: AN5C11A

PROCUREMENT SPECIFICATION: n/a

OTHER CONTRACTURAL REQUIREMENTS:

MATERIAL: 431 QUANTITY: 115 lbs

INVOICE NUMBER: 170184

Certification Statement:


We certify that the above referenced lot was processed, tested, and inspected in accordance with QQ-P-35C/SAE AMS-QQ-P-35, AMS2700 and part standard.

DE TRAY PLATING WORKS

NAME: CONCETT

JOB TITLE: VICE-PRESIDENT

DATE: 05/28/2013



MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

CERTIFICATE OF CONFORMANCE AND **MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 76756

PART NUMBER: AN5C7A

LOT NUMBER: 55814

MANUFACTURED QUANTITY: 4,200

MILL HEAT NUMBER: 562237

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225-7014, ALTERNATE 1 COMPLIANT

MERCURY FREE CERTIFICATION

MacFasteners Inc. certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS, INC. within the United States, and were processed in accordance with all applicable drawings and specifications.

Objective evidence of compliance is on file, subject to examination upon regules

DATE: 10/31/11

QUALITY ASSURANCE REPRESENTATIVE

MacFasteners, Inc. is an AS9100/ISO9001 Regestered Company - PJR# C2009-00297

MAC FASTENERS, INC. 1110 EAST ENTERPRISE OTTAWA, KS 66067

CHEMICAL & PHYSICAL TEST REPORT

| CUSTOMER | PON | UMBER | MFG QUANTITY | DATE | | |
|-----------------|-------|--------|--------------|------------------|--|--|
| BILD INDUSTRIES | 76756 | | 4,200 | 10/31/11 | | |
| PART NUMBER | REV | LOT NO | PROCUREMENT | PROCUREMENT SPEC | | |
| AN5C7A | 2 | 55814 | N/ | \SM6812 | | |

| MATERIA | TYPE | 431 | | MATER | RIAL SPE | CIFICATION 1 A493 | ON | MILL HEA | T NUMBE 562237 | R | SUPPL | IER CARPEI | NTER |
|---------|------|-----------|------|-----------|----------|-------------------|------------|----------|-------------------|---|-------|---------------|------|
| .16 | .55 | Mn .65 | .016 | s .001 | Cu | Ni 1.57 | Cr 15.8 | Мо | V | В | Fe | Al | Tì |
| | Co | N | Bí | Pb | Mg | Zn | | Nb | Sn | | · | Other | |

MECHANICAL TEST RESULTS - TESTING PER NASM1312

| | NSILE STRENGTH OUNDS |
|-----------|-------------------------|
| | |
| 9,900 | |
| 9,920 | |
| 9,880 | |
| 9,940 | |
| 9,900 | |
| , | |
| | • |
| | |
| | |
| | 0500 |
| MIN. REQ. | 6500 |

| DOUBLE SHEAR STRENGTH POUNDS / PSI |
|------------------------------------|
| |
| • |
| |
| |
| |
| · |
| |
| • |
| |
| • |
| TOO SHORT TO TEST PER |
| NASM1312-13 |
| MIN. REQ. |

| н | ARDNESS | |
|-------------|---------------|---|
| ROCKW | ELL "C" SCALE | |
| REQ. | 26 - 32 HRC | |
| SAMPLE SIZE | 5 | |
| ACTU | AL RESULTS | |
| 3 | 0-32 HRC | |
| | • | |
| | | |
| | | • |

| METALLURGICAL EXAMINATION | | | | | | |
|----------------------------------|---------------------|-----------------------|-------------|--|--|--|
| Discontinuities | Ø | Carb/Decarb | V | | | |
| Grain Flow | ্ব | Microstructure | V | | | |
| Grain Size | ত | Apppearance | V | | | |
| Thread Inspe FED-STD-H28/20 - | ection ASME B1.3 | System System 2 21 22 | System 23 | | | |

TEST CERTIFICATION

WE CERTIFY THAT THE PART NUMBER, LOT NUMBER, AND SAMPLES REFERENCED ABOVE HAVE BEEN TESTED IN ACCORDANCE WITH THE APPLICABLE SPECIFICATION

FOR THE TESTS REPORTED HEREIN. THIS CERTIFICATION SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE APPROVAL OF MAC FASTENERS, INC.

| NDT/ ADDITIONAL TESTS | | | | |
|--|---|--|--|--|
| Magnetic Particle Inspection per ASTM E1444 | 回 | | | |
| Liquid Penetrant Inspection per ASTM E1417 | | | | |
| Recess Torque Test | | | | |
| Head Marking | Image: Control of the control of the | | | |
| Quality Assurance Representative | | | | |

AS9100, ISO9001 REGISTERED PJR #C2009-00297

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

HEAT TREAT CERTIFICATION

CUSTOMER: BILD INDUSTRIES

DATE: 10/31/11

PO NUMBER:

76756

MANUFACTURED QUANTITY:

4.200

LOT NUMBER:

55814

MATERIAL:

TYPE 431

PART NUMBER:

AN5C7A

REVISION: 2

REQUIRED HARDNESS:

26 - 32 HRC

SAMPLE SIZE:

5

HARDNESS:

30-32 HRC

HEAT TREAT SPECIFICATION AS APPLICABLE: MIL-H-6875/AMS-H-6875/AMS2759/AMS5853/PS-1001

The fasteners referenced in this report have been processed, inspected and certified by the Heat Treat Contractor in accordance with all applicable drawings and specifications. Heat Treatment has been verified in accordance with procurement specification and part drawing, by metallurgical and mechanical testing as applicable. Evidence of compliance as well as certification from the Heat Treat Contractor is on file and subject to examination upon request.

QUALITY ASSURANCE REPRESENTATIVE

MacFasteners, Inc. is an AS9100/ISO9001 Regestered Company - PJR# C2009-00297

CERTIFICATE OF TESTS CERT SERIAL# 000766885 **ABNAHMEPRUEFZEUGNIS**

CERTIFICAT DE CONTROLE

Carpenter Technology Corporation 101 West Bern Street, Reading, Pa. 19601 Tel: (616) 208-2000 (800) 338-4592

03/16/11 CUSTOMER/BESTELLER/CLIENT

MAC FASTENERS INC

THE RECORDING OF FALSE, FICTICIOUS OR FRANDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PURISHED AS A FELONY LADER FEDERAL STATUTES INCLUDING FEDERAL LAM, TITLE 18, CHAPTER 47.

THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS HADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL BATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER HUSBER.

MATERIAL IS MANUFACTURED FREE FROM HERGURY, RADIUM, ALPHA AND GAMA SOURCE CONTAMINATION

THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, OF CARPENTER TECHNOLOGY CORPORATION. WITHOUT THE WRITTEN CONSENT

SELLER / VERKÄUFER / VENDEURPÄGE

1110 E. ENTERPRISE OTTAWA KS 66067

BOL

| CUSTOMER ORDER NO./BESTELL-NR./Nº DE COMMANDE | CARPENTER NO. MERKS-NR./Nº DE REFERENCE INTERNE | BATE/BATUR/DATE | WEIGHT/GEWICHT/POIDS |
|---|---|-----------------|----------------------|
| 54130 | W80400 - 1 | 03/16/11 | 1904.000 |

HEAT NUMBER / SCHMELZE-NR. / Nº DE COULEE :

562237

PRODUCT DESCRIPTION: TYPE 431 ANNEALED COLD FINISH SEAM FREE C HDG CL K2 HVY
CU/SOAP TENSILE MAX 115.0 KSI
PART NUMBER: 431-.310

SPECIFICATION: ASTM-A493-09

0.310500 IN.(7.89 MM) RD WIRE

PRIMARY HEAT CHEMISTRY (WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

0.65 MN(XRE) o.So(COM) O.55 (XRF) 0.016 (XRF)

NI(XRF)

TENSILE AS SHIPPED, KSI (MPA) 110.0(

MATERIAL PRODUCED ON THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A. MATERIAL HAS BEEN MELTED IN USA OR QUALIFYING COUNTRY TO DFARS REQUIRE-MENTS 252.225-7014 WITH ALTERNATE 1 FOR QUALIFYING COUNTRY 225.872.1 SUPERSEDED BY DFARS REQUIREMENTS DFARS 252.225-7008 AND 252.225-7009. CARPENTER'S QUALITY MANAGEMENT SYSTEM WAS REGISTERED AS OF NOVEMBER 24, 2010 TO THE REQUIREMENTS OF ISO 9001:2008 APPROVAL CERTIFICATE 10-1385R BY PERFORMANCE REVIEW INSTITUTE. CERTIFICATE OF TEST IS PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN 50049). WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE PURCHASE ORDER AND SPECIFICATION REQUIREMENTS.

HEIDI L. SUNDAY GROUPLDR - SPECIFICATIONS/CERTIFICATION CARPENTER TECHNOLOGY CORPORATION

CR(XRF)

Heidi L Sunday

This certification is made to the emetories printed in this force. Carpetter neither makes, nor assumes responsibility for, any representation or certification to other part. Die vorlingsrude Zentifizierung ist nur für den in diesem Formulur genantien Kunden gillig. Carpetter übernirum geganiber Dritten lexicatien Kaltung für die angewis De gertificat est uniquement veleble pour le client door le norm est ingervisé aur on formulur ge. Carpetter alemnum vos de responsabilité pour une certification vis 4-vis c

DE TRAY Plating Works

Specialized Electro-Plating and Polishing
Nickel Passivate
Copper Bright Dip
Decorative Chrome Strip Copper
Satin Chrome Descale
Zinc

Cadmium

10406 EAST ELEVENTH STREET • INDEPENDENCE, MISSOURI 64052 Phone (816) 252-8411 Fax (816) 252-8527 • E-mail: DeTrayPlating@Aol.com

Passivate Treatment per QQ-P-35C/SAE AMS QQ-P-35/AMS 2700

CUSTOMER: Mac Fasteners, Inc.

Lot#- 55814

PART NUMBER: AN5C7A

PROCUREMENT SPECIFICATION: n/a

OTHER CONTRACTURAL REQUIREMENTS:

MATERIAL: 431 QUANTITY: 115 lbs

INVOICE NUMBER: 156476

Certification Statement:

We certify that the above referenced lot was processed, tested, and inspected in accordance with QQ-P-35C/SAE AMS-QQ-P-35, Type II, AMS2700 Method 1, Type 2, Class 1.

DE TRAY PLATING WORKS

NAME:

JOB TITLE: VICE-PRESIDENT

DATE: 10/25/2011

MACFASTENERS, INC.

1110 Enterprise Street Ottawa, KS 66067 Phone: 785-242-8812 Fax: 785-242-4616

Invoice

Sold Bild Industries

To: 800 Clearwater Loop Post Falls, ID 83854

United States

Ship Bild Industries

To: 800 Clearwater Loop Post Falls, ID 83854

United States

invoice Number:

52536

Salesman;

House

Invoice Date:

10/31/11 BILD Terms:

Net 30 Days

Customer: Order No:

41794

Packing List: PO Number: 51175 76756

LOT #55814

ttem Quantity Description
2 3,720 AN5C7A - Bolt, machine-- Aircraft

Revision

Unit Price

Amount

Sub-total:

- Sales Tax:

Shipped Via Roadway Freightways:

Invoice Total:

Paid To Date:

Balance Due:

CUST PO NO SO NO **CUST PO NO** SO NO CUST PO NO SO NO 65216 457568 65216 457568 65216 457568 FROM: FROM: 800 CLEARWATER LOOP FROM: 800 CLEARWATER LOOP **800 CLEARWATER LOOP BILD INDUSTRIES, INC.** BILD INDUSTRIES, INC. POST FALLS, ID 82854 **BILD INDUSTRIES, INC.** POST FALLS, ID 83854 POST FALLS, ID 83854 SHIP SHIP EAST COAST AVIATION SUPPLIES EAST COAST AVIATION SUPPLIES EAST COAST AVIATION SUPPLIES 399 EAST DRIVE 399 EAST DRIVE 399 EAST DRIVE MELBOURNE FL 32904 MELBOURNE MEL BOURNE FL 32904 FL 32904 CUSTOMER BILL TO ADDRESS COMPLETE CUSTOMER PO NO. BILL TO NO. SHIP TO NO. 65216 **BUYER NAME & PHONE NO.** 'T COAST AVIATION SUPPLIES GOY EAST DRIVE MARYLYNNZE MELBOURNE FL 32904 MAIL TOTAL QTY SEE be/ou/cust. PO NO. LINE LOC QTY ORDERED LOT 3/0 CUST. NO. DESCRIPTION SHIPPED THIS ORDER 1.1 1000 ANSC7A 65216 ECACO1 BOLT ACCEPTED TOTAL QTY SHIPPED THIS ORDER UNE LOC QTY ORDERED LOT Rev. CUST, PO NO. CUST. NO. DESCRIPTION 12 FULL CERTS 65216 ECA001 CERTIFICATION LINE TOTAL QTY SHIPPED THIS ORDER LOC **QTY ORDERED** CUST. PO NO. CUST. NO. DESCRIPTION rev.2 LINE LOC **QTY ORDERED** TOTAL OTY SHIPPED THIS ORDER CUST. PO NO. CUST, NO DESCRIPTION Kev.2-کن LINE LOC QTY ORDERED TOTAL QTY SHIPPED THIS ORDER CUST. PO NO. CUST. NO. DESCRIPTION LINE FOC QTY ORDERED TOTAL QTY LOT CUST. PO NO. CUST. NO. DESCRIPTION UNE LOC QTY ORDERED TOTAL OTY SHIPPED THIS ORDER LOT CUST. PO NO. CUST, NO. DESCRIPTION LINE TOTAL OTY SHIPPED THIS ORDER LOC QTY ORDERED LOT CUST. PO NO. CUST, NO. DESCRIPTION **CERTIFICATION OF CONFORMANCE** WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222 CAGE CODE 31222 = PARTIAL = COMPLETE = CONSIDER COMPLETE